Whalrus Documentation

Release 0.4.6

François Durand

Dec 01, 2020

Contents:

1	Whalrus 1.1 Features 1.2 Credits
2	Installation 2.1 Stable release 2.2 From sources
3	Usage
4	Tutorial4.1Quick start4.2Computed attributes of an election4.3General syntax4.4Under the hood4.5Change the candidates
5	Reference 1 5.1 Ballot
6	Contributing 13 6.1 Types of Contributions 13 6.2 Get Started! 13 6.3 Pull Request Guidelines 13 6.4 Tips 13 6.5 Deploying 13 6.6 Useful links 13

7	Cred	its	141						
	7.1	Development Lead	141						
	7.2	Contributors	141						
8	History								
	8.1	0.4.6 (2020-12-01): Improve test coverage	143						
	8.2	0.4.5 (2020-11-26): Fix Missing Files in Deployment	143						
	8.3	0.4.4 (2020-11-26): Fix PyPI deployment	143						
	8.4	0.4.3 (2020-11-26): GitHub Actions	143						
	8.5	0.4.2 (2019-08-22): Speeding Up	144						
	8.6	0.4.1 (2019-04-01): Tie-breaking	144						
	8.7	0.4.0 (2019-03-29): Schulze	144						
	8.8	0.3.0 (2019-03-29): Ranked Pairs	144						
	8.9	0.2.1 (2019-03-28): Optimize argument passing	144						
	8.10	0.2.0 (2019-03-21): Classic voting systems	144						
	8.11	0.1.0 (2018-03-13): First release	144						
9	9 Indices and tables								
Ру	Python Module Index								
In	Index								



CHAPTER 1

Whalrus

Which Alternative Represents Us, a package for voting rules

- Free software: GNU General Public License v3
- Documentation: https://francois-durand.github.io/whalrus/.

1.1 Features

• TODO

1.2 Credits

This package was created with Cookiecutter and the audreyr/cookiecutter-pypackage project template. We use the checklist provided by Package Helper 2.

CHAPTER 2

Installation

2.1 Stable release

To install Whalrus, run this command in your terminal:

\$ pip install whalrus

This is the preferred method to install Whalrus, as it will always install the most recent stable release.

If you don't have pip installed, this Python installation guide can guide you through the process.

2.2 From sources

The sources for Whalrus can be downloaded from the Github repo.

You can either clone the public repository:

\$ git clone git://github.com/francois-durand/whalrus

Or download the tarball:

\$ curl -OL https://github.com/francois-durand/whalrus/tarball/master

Once you have a copy of the source, you can install it with:

\$ python setup.py install

chapter $\mathbf{3}$

Usage

To use Whalrus in a project:

import whalrus

CHAPTER 4

Tutorial

>>> from whalrus import *

4.1 Quick start

Some simple elections:

```
>>> RulePlurality(['a', 'a', 'b', 'c']).winner_
'a'
>>> RuleBorda(['a > b > c', 'b > c > a']).gross_scores_
{'a': 2, 'b': 3, 'c': 1}
```

Elections can optionally have weights and voter names:

```
>>> RulePlurality(
... ['a', 'a', 'b', 'c'], weights=[1, 1, 3, 2],
... voters=['Alice', 'Bob', 'Cate', 'Dave']
... ).winner_
'b'
```

The tie-breaking rule can be specified:

```
>>> RulePlurality(['a', 'a', 'b', 'c'], tie_break=Priority.ASCENDING).winner_
'a'
```

4.2 Computed attributes of an election

Once the election is defined, you can access its computed attributes, whose names end with an underscore:

```
>>> plurality.candidates_
{'a', 'b', 'c'}
>>> plurality.gross_scores_
{'a': 2, 'b': 2, 'c': 1}
>>> plurality.scores_
{'a': Fraction(2, 5), 'b': Fraction(2, 5), 'c': Fraction(1, 5)}
>>> plurality.best_score_
Fraction(2, 5)
>>> plurality.worst_score_
Fraction(1, 5)
>>> plurality.order_
[{'a', 'b'}, {'c'}]
>>> plurality.strict_order_
['a', 'b', 'c']
>>> plurality.cowinners_
{'a', 'b'}
>>> plurality.winner_
'a'
>>> plurality.cotrailers_
{'C'}
>>> plurality.trailer_
'C'
```

4.3 General syntax

In the most general syntax, firstly, you define the rule and enter its options:

```
>>> plurality = RulePlurality(tie_break=Priority.ASCENDING)
```

Secondly, you use it as a callable to load a particular election (profile, set of candidates):

Finally, you can access the computed variables:

```
>>> plurality.gross_scores_
{'a': 2, 'b': 2, 'c': 1, 'd': 0}
```

Later, if you wish, you can load another profile with the same voting rule, and so on.

4.4 Under the hood

A *whalrus*.*Ballot* contains the message emitted by the voter, but also some contextual information such as the set of candidates that were available at the moment when she cast her ballot:

```
>>> ballot = BallotOrder('a > b ~ c')
>>> ballot
BallotOrder(['a', {'b', 'c'}], candidates={'a', 'b', 'c'})
```

This architecture allows Whalrus to deal with asynchronous elections where the set of candidates may vary during the election itself (such as some asynchronous online polls).

A whalrus.Profile contains a list of whalrus.Ballot objects, a list of weights and a list of voters:

```
>>> profile = Profile(['a > b ~ c', 'a ~ b > c'])
>>> profile.ballots[0]
BallotOrder(['a', {'b', 'c'}], candidates={'a', 'b', 'c'})
>>> profile.weights
[1, 1]
>>> profile.voters
[None, None]
```

Internally, a voting rule is always applied to a *whalrus.Profile*. Hence, if the inputs are given in a "loose" format, they are converted to a *whalrus.Profile*:

```
>>> borda = RuleBorda(['a > b ~ c', 'a ~ b > c'])
>>> borda.profile_converted_ # doctest:+ELLIPSIS
Profile(ballots=[BallotOrder(['a', {'b', 'c'}], candidates={'a', 'b', 'c'}), ...)
```

Under the hood, some conversions are performed so that a variety of inputs are understood by Whalrus. In the example above, the first ballot was manually entered as $a > b \sim c$. In the absence of other information, Whalrus then considered that only candidates *a*, *b* and *c* were available when this voter cast her ballot. If you want to give more detailed information, the most general syntax consists in using the constructors of classes *whalrus.Profile*, *whalrus.Ballot* and their subclasses:

The ballot above means that the voter emitted the message 'a > b ~ c' in a context where the candidates d and e where also available, i.e. she deliberately abstained about these two candidates.

4.5 Change the candidates

It is possible to change the set of candidates, compared to when the voters cast their ballots.

```
>>> profile = Profile(['a > b > c', 'a ~ b > c'])
>>> RulePlurality(profile, candidates={'b', 'c'}).gross_scores_
{'b': 2, 'c': 0}
```

CHAPTER 5

Reference

5.1 Ballot

5.1.1 Ballot

class whalrus.Ballot A ballot.

The philosophy of this class is to stick as much as possible to the message that the voter emitted, in the context where she emitted it. For example, consider a range voting setting with candidates a, b, c and a scale of grades from 0 to 100. If the voter emits a ballot where a has grade 60 and b has grade 30, then the *Ballot* object simply records all this: what candidates were present, what was the scale of authorized grades, and what the voter indicated in her ballot. But, for example:

- It makes no assumption whether the voter prefers *a* to *c*. Maybe she did not mention *c* because she didn't like it, maybe because she didn't know it.
- It makes no assumption about what would be the voter's ballot with a scale from 0 to 10. Maybe it would be { 'a': 6, 'b': 3}, maybe not.

Ballot converters (cf. *ConverterBallot*) will be used each time we need an information that is beyond what the ballot clearly indicated.

candidates

The candidates that were available at the moment when the voter cast her ballot. As a consequence, candidates must be hashable objects.

Type NiceSet

first (*candidates: set* = *None*, ***kwargs*) \rightarrow object

The first (= most liked) candidate. Implementation is optional.

In most subclasses, this method needs some options (kwargs) to solve ambiguities in this conversion. In some other subclasses, this method may even stay unimplemented.

Parameters

- candidates (set of candidates) It can be any set of candidates, not necessarily a subset of self.candidates). Default: self.candidates.
- kwargs Some options (depending on the subclass).
- **Returns** The first (= most liked) candidate, chosen in the intersection of self.candidates and the argument candidates. Can return None for an "abstention".

Return type candidate

Examples

Typical example: the ballot was cast in a context where candidates a, b, c, d were declared. Hence self. candidates == {'a', 'b', 'c', 'd'}. Later, candidate a is removed from the election. Then we can use this method with the optional argument candidates = {'b', 'c', 'd'} to know who is the most liked candidate of the voter in this new context.

last (*candidates: set* = *None*, ***kwargs*) \rightarrow object

The last (= most disliked) candidate. Implementation is optional.

Cf. first () for more information.

Parameters

- **candidates** (*set of candidates*) It can be any set of candidates, not necessarily a subset of self.candidates). Default: self.candidates.
- kwargs Some options (depending on the subclass).
- **Returns** The last (= most disliked) candidate, chosen in the intersection of self. candidates and the argument candidates. Can return None for an "abstention".

Return type candidate

restrict (*candidates=None*, ***kwargs*) \rightarrow whalrus.ballot.Ballot Restrict the ballot to less candidates.

Implementation is optional.

Additional candidates (that are in the argument candidates but not in self.candidates) are generally not taken into account in the restricted ballot. For example, in a election with candidates a, b, c, assume that the voter emits an ordered ballot a > b > c. Later, candidate a is removed and candidate d is added. Then the "restricted" ballot to { 'b, 'c', 'd' } is b > c. For more details, see for example BallotOrder.restrict().

Parameters

- **candidates** (*set of candidates*) It can be any set of candidates, not necessarily a subset of self.candidates). Default: self.candidates.
- kwargs Some options (depending on the subclass).

Returns The same ballot, "restricted" to the candidates given.

Return type Ballot

5.1.2 BallotOrder

class whalrus.**BallotOrder** (*b: object, candidates: set* = *None*) Ballot with an ordering.

Parameters

- **b** (*object*) The ballot. Cf. examples below for the accepted formats.
- **candidates** (*set*) The candidates that were available at the moment when the voter cast her ballot. Default: candidates that are explicitly mentioned in the ballot b.

Most general syntax:

In the example above, candidates a and b are equally liked, and they are liked better than c. Candidates d and e were available when the voter cast her ballot, but she chose not to include them in her preference order.

Other examples of inputs:

```
>>> BallotOrder('a ~ b > c')
BallotOrder([{'a', 'b'}, 'c'], candidates={'a', 'b', 'c'})
>>> BallotOrder({'a': 10, 'b': 10, 'c': 7})
BallotOrder([{'a', 'b'}, 'c'], candidates={'a', 'b', 'c'})
```

The ballot has a set-like behavior in the sense that it implements <u>__len__</u> and <u>__contains__</u>:

```
>>> ballot = BallotOrder('a ~ b > c', candidates={'a', 'b', 'c', 'd', 'e'})
>>> len(ballot)
3
>>> 'd' in ballot
False
```

If the order is strict, then the ballot is also iterable:

```
>>> ballot = BallotOrder('a > b > c')
>>> for candidate in ballot:
... print(candidate)
a
b
c
```

as_strict_order

Strict order format.

It is a list of candidates. For example, ['a', 'b', 'c'] means that *a* is preferred to *b*, who is preferred to *c*.

Raises ValueError – If the ballot is not a strict order.

Examples

```
>>> BallotOrder('a > b > c').as_strict_order
['a', 'b', 'c']
```

Type list

as_weak_order

Weak order format.

A list of sets. For example, $[{ 'a', 'b' }, { 'c' }]$ means that *a* and *b* are equally liked, and they are liked better than *c*.

Examples

```
>>> BallotOrder('a ~ b > c', candidates={'a', 'b', 'c', 'd', 'e'}).as_weak_
→order
[{'a', 'b'}, {'c'}]
```

Type list

candidates

the candidates.

If the set was not explicitly given, the candidates are inferred from the ballot.

Examples

```
>>> BallotOrder('a ~ b > c', candidates={'a', 'b', 'c', 'd', 'e'}).candidates
{'a', 'b', 'c', 'd', 'e'}
>>> BallotOrder('a ~ b > c').candidates
{'a', 'b', 'c'}
```

Type NiceSet

candidates_in_b

the candidates that are explicitly mentioned in the ballot.

Examples

Type NiceSet

candidates_not_in_b

the candidates that were available at the moment of the vote, but are not explicitly mentioned in the ballot.

Examples

Type NiceSet

```
first (candidates: set = None, **kwargs) \rightarrow object
The first (= most liked) candidate.
```

Parameters

- **candidates** (*set of candidates*) It can be any set of candidates, not necessarily a subset of self.candidates. Default: self.candidates.
- kwargs -
 - priority: a Priority. Default: Priority. UNAMBIGUOUS.
 - *include_unordered*: a boolean. If True (default), then unordered candidates are considered present but below the others.
- **Returns** The first (= most liked) candidate, chosen in the intersection of self.candidates and the argument candidates. Can return None for an "abstention".

Return type candidate

Examples

is_strict

Whether the ballot is a strict order or not.

True if the order is strict, i.e. if each indifference class contains one element. There can be some unordered candidates.

Examples

```
>>> BallotOrder('a > b > c').is_strict
True
>>> BallotOrder('a > b > c', candidates={'a', 'b', 'c', 'd', 'e'}).is_strict
True
>>> BallotOrder('a ~ b > c').is_strict
False
```

Type bool

last (*candidates: set* = *None*, ***kwargs*) \rightarrow object The last (= most disliked) candidate.

Parameters

• **candidates** (set of candidates) – It can be any set of candidates, not necessarily a subset of self.candidates. Default is self.candidates. • kwargs -

- priority: a Priority object. Default: Priority. UNAMBIGUOUS.
- *include_unordered*: a boolean. If True (default), then unordered candidates are considered present but below the others.
- **Returns** The last (= most disliked) candidate, chosen in the intersection of self. candidates and the argument candidates. Can return None for an "abstention".

Return type candidate

Examples

```
>>> print(BallotOrder('a ~ b').last(priority=Priority.ASCENDING))
b
>>> print(BallotOrder('a > b', candidates={'a', 'b', 'c'}).last())
c
>>> print(BallotOrder('a > b', candidates={'a', 'b', 'c'}).last(include_
4unordered=False))
b
>>> ballot = BallotOrder('a > b', candidates={'a', 'b', 'c', 'd'})
>>> print(ballot.last(candidates={'c', 'd'}, include_unordered=False))
None
```

restrict (*candidates: set* = *None*, ***kwargs*) \rightarrow whalrus.ballots.ballot_order.BallotOrder Restrict the ballot to less candidates.

Parameters

- **candidates** (*set of candidates*) It can be any set of candidates, not necessarily a subset of self.candidates). Default: self.candidates.
- kwargs Some options (depending on the subclass).

Returns The same ballot, "restricted" to the candidates given.

Return type BallotOrder

Examples

Typical usage:

```
>>> ballot = BallotOrder('a ~ b > c')
>>> ballot
BallotOrder([{'a', 'b'}, 'c'], candidates={'a', 'b', 'c'})
>>> ballot.restrict(candidates={'b', 'c'})
BallotOrder(['b', 'c'], candidates={'b', 'c'})
```

More general usage:

```
>>> ballot.restrict(candidates={'b', 'c', 'd'})
BallotOrder(['b', 'c'], candidates={'b', 'c'})
```

In the last example above, note that d is not in the candidates of the restricted ballot, as she was not available at the moment when the voter cast her ballot.

5.1.3 BallotLevels

class whalrus.**BallotLevels**(*b: dict, candidates: set = None, scale: whalrus.scales.scale.Scale = None*)

Ballot with an evaluation of the candidates.

Parameters

- **b** (*dict*) Keys: candidates. Values represent some form of evaluation. The keys and the values must be hashable.
- **candidates** (*set*) The candidates that were available at the moment when the voter cast her ballot. Default: candidates that are explicitly mentioned in the ballot b.
- **scale** (Scale) The authorized scale of evaluations at the moment when the voter cast her ballot. Default: Scale() (meaning in this case "unknown").

Examples

Most general syntax:

```
>>> ballot = BallotLevels({'a': 10, 'b': 7, 'c': 3},
... candidates={'a', 'b', 'c', 'd', 'e'},
... scale=ScaleRange(low=0, high=10))
```

Other examples of syntax:

```
>>> ballot = BallotLevels({'a': 10, 'b': 7, 'c': 3})
>>> ballot = BallotLevels({'a': 'Good', 'b': 'Bad', 'c': 'Bad'},
... scale=ScaleFromList(['Bad', 'Medium', 'Good']))
```

In addition to the set-like and list-like behaviors defined in parent class *BallotOrder*, it also has a dictionary-like behavior in the sense that it implements ______:

```
>>> ballot = BallotLevels({'a': 10, 'b': 7, 'c': 3})
>>> ballot['a']
10
```

as_dict

keys are candidates and values are levels of evaluation.

Examples

```
>>> BallotLevels({'a': 10, 'b': 7, 'c': 3}).as_dict
{'a': 10, 'b': 7, 'c': 3}
```

Type NiceDict

as_strict_order

Strict order format.

It is a list of candidates. For example, ['a', 'b', 'c'] means that *a* is preferred to *b*, who is preferred to *c*.

Raises ValueError – If the ballot is not a strict order.

```
>>> BallotOrder('a > b > c').as_strict_order
['a', 'b', 'c']
```

Type list

candidates

the candidates.

If the set was not explicitly given, the candidates are inferred from the ballot.

Examples

```
>>> BallotOrder('a ~ b > c', candidates={'a', 'b', 'c', 'd', 'e'}).candidates
{'a', 'b', 'c', 'd', 'e'}
>>> BallotOrder('a ~ b > c').candidates
{'a', 'b', 'c'}
```

Type NiceSet

candidates_not_in_b

the candidates that were available at the moment of the vote, but are not explicitly mentioned in the ballot.

Examples

```
>>> BallotOrder('a ~ b > c', candidates={'a', 'b', 'c', 'd', 'e'}).candidates_
onot_in_b
{'d', 'e'}
```

Type NiceSet

first (*candidates: set* = None, **kwargs) \rightarrow object The first (= most liked) candidate.

Parameters

- **candidates** (*set of candidates*) It can be any set of candidates, not necessarily a subset of self.candidates. Default: self.candidates.
- kwargs -
 - priority: a Priority. Default: Priority. UNAMBIGUOUS.
 - *include_unordered*: a boolean. If True (default), then unordered candidates are considered present but below the others.
- **Returns** The first (= most liked) candidate, chosen in the intersection of self.candidates and the argument candidates. Can return None for an "abstention".

Return type candidate

is_strict

Whether the ballot is a strict order or not.

True if the order is strict, i.e. if each indifference class contains one element. There can be some unordered candidates.

Examples

```
>>> BallotOrder('a > b > c').is_strict
True
>>> BallotOrder('a > b > c', candidates={'a', 'b', 'c', 'd', 'e'}).is_strict
True
>>> BallotOrder('a ~ b > c').is_strict
False
```

Type bool

```
items () \rightarrow ItemsView[KT, VT_co]
Items of the ballot.
```

Returns This is a shortcut for self.as_dict.items().

Return type ItemsView

Examples

```
>>> ballot = BallotLevels({'a': 10, 'b': 7, 'c': 3}, candidates={'a', 'b', 'c
    ..., 'd', 'e'})
>>> sorted(ballot.items())
[('a', 10), ('b', 7), ('c', 3)]
```

```
\textbf{keys}~(~)~\rightarrow KeysView[KT]
```

Keys of the ballot.

Returns This is a shortcut for self.as_dict.keys().

Return type KeysView

```
>>> ballot = BallotLevels({'a': 10, 'b': 7, 'c': 3}, candidates={'a', 'b', 'c
    ..., 'd', 'e'})
>>> sorted(ballot.keys())
['a', 'b', 'c']
```

last (*candidates: set* = *None*, ***kwargs*) \rightarrow object The last (= most disliked) candidate.

Parameters

- candidates (set of candidates) It can be any set of candidates, not necessarily a subset of self.candidates. Default is self.candidates.
- kwargs -
 - priority: a Priority object. Default: Priority. UNAMBIGUOUS.
 - *include_unordered*: a boolean. If True (default), then unordered candidates are considered present but below the others.
- **Returns** The last (= most disliked) candidate, chosen in the intersection of self. candidates and the argument candidates. Can return None for an "abstention".

Return type candidate

Examples

```
>>> print(BallotOrder('a ~ b').last(priority=Priority.ASCENDING))
b
>>> print(BallotOrder('a > b', candidates={'a', 'b', 'c'}).last())
c
>>> print(BallotOrder('a > b', candidates={'a', 'b', 'c'}).last(include_
ounordered=False))
b
>>> ballot = BallotOrder('a > b', candidates={'a', 'b', 'c', 'd'})
>>> print(ballot.last(candidates={'c', 'd'}, include_unordered=False))
None
```

restrict (*candidates: set* = *None*, ***kwargs*) \rightarrow whalrus.ballots.ballot_levels.BallotLevels Restrict the ballot to less candidates.

Parameters

- **candidates** (*set of candidates*) It can be any set of candidates, not necessarily a subset of self.candidates). Default: self.candidates.
- **kwargs** Some options (depending on the subclass).

Returns The same ballot, "restricted" to the candidates given.

Return type BallotOrder

Examples

Typical usage:

```
>>> ballot = BallotOrder('a ~ b > c')
>>> ballot
BallotOrder([{'a', 'b'}, 'c'], candidates={'a', 'b', 'c'})
>>> ballot.restrict(candidates={'b', 'c'})
BallotOrder(['b', 'c'], candidates={'b', 'c'})
```

More general usage:

```
>>> ballot.restrict(candidates={'b', 'c', 'd'})
BallotOrder(['b', 'c'], candidates={'b', 'c'})
```

In the last example above, note that d is not in the candidates of the restricted ballot, as she was not available at the moment when the voter cast her ballot.

```
values () \rightarrow ValuesView[VT_co]
Values of the ballot.
```

Returns This is a shortcut for self.as_dict.values().

Return type ValuesView

Examples

```
>>> ballot = BallotLevels({'a': 10, 'b': 7, 'c': 3}, candidates={'a', 'b', 'c

..., 'd', 'e'})

>>> sorted(ballot.values())

[3, 7, 10]
```

5.1.4 BallotOneName

```
class whalrus.BallotOneName (b: object, candidates: set = None)
A ballot in a mono-nominal context (typically plurality or veto).
```

Parameters

- **b** (candidate or None) None stands for abstention.
- **candidates** (*set*) The candidates that were available at the moment when the voter cast her ballot.

Examples

а

```
>>> ballot = BallotOneName('a', candidates={'a', 'b', 'c'})
>>> print(ballot)
```

```
>>> ballot = BallotOneName(None, candidates={'a', 'b', 'c'})
>>> print(ballot)
None
```

candidates_in_b

The candidate that is explicitly mentioned in the ballot.

This is a singleton with the only candidate contained in the ballot (or an empty set in case of abstention).

```
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).candidates_in_b
{'a'}
>>> BallotOneName(None, candidates={'a', 'b', 'c'}).candidates_in_b
{}
```

Type NiceSet

candidates_not_in_b

The candidates that were available at the moment of the vote, but are not explicitly mentioned in the ballot.

Examples

```
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).candidates_not_in_b
{'b', 'c'}
```

Type NiceSet

first (candidates: set = None, **kwargs) \rightarrow object

The first (= most liked) candidate.

In this parent class, by default, the ballot is considered as a plurality ballot, i.e. the candidate indicated is the most liked.

Parameters

- candidates (set of candidates) -
- kwargs -
 - priority: a Priority. Default: Priority. UNAMBIGUOUS.

Returns The first (= most liked) candidate.

Return type candidate

Examples

```
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).first()
'a'
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).first(candidates={'b', 'c'}
'...
priority=Priority.
ASCENDING)
'b'
```

last (*candidates: set* = *None*, ***kwargs*) \rightarrow object The last (= most disliked) candidate.

In this parent class, by default, the ballot is considered as a plurality ballot, i.e. the candidate indicated is the most liked.

Parameters

```
• candidates (set of candidates) -
```

• kwargs -

- priority: a Priority. Default: Priority. UNAMBIGUOUS.

Returns The last (= most disliked) candidate.

Return type candidate

Examples

restrict (*candidates: set* = *None*, ***kwargs*) \rightarrow whalrus.ballots.ballot_one_name.BallotOneName Restrict the ballot to less candidates.

Parameters

- **candidates** (*set of candidates*) It can be any set of candidates, not necessarily a subset of self.candidates). Default: self.candidates.
- kwargs
 - priority: a Priority. Default: Priority. UNAMBIGUOUS.

Returns The same ballot, "restricted" to the candidates given.

Return type BallotOneName

Examples

5.1.5 BallotPlurality

```
class whalrus.BallotPlurality(b: object, candidates: set = None)
        A plurality ballot.
```

Examples

```
>>> ballot = BallotPlurality('a', candidates={'a', 'b', 'c'})
>>> print(ballot)
```

а

```
>>> ballot = BallotPlurality(None, candidates={'a', 'b', 'c'})
>>> print(ballot)
None
```

candidates_in_b

The candidate that is explicitly mentioned in the ballot.

This is a singleton with the only candidate contained in the ballot (or an empty set in case of abstention).

Examples

```
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).candidates_in_b
{'a'}
>>> BallotOneName(None, candidates={'a', 'b', 'c'}).candidates_in_b
{}
```

Type NiceSet

candidates_not_in_b

The candidates that were available at the moment of the vote, but are not explicitly mentioned in the ballot.

Examples

```
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).candidates_not_in_b
{'b', 'c'}
```

Type NiceSet

```
first (candidates: set = None, **kwargs) \rightarrow object
The first (= most liked) candidate.
```

In this parent class, by default, the ballot is considered as a plurality ballot, i.e. the candidate indicated is the most liked.

Parameters

- candidates (set of candidates) –
- kwargs -
 - priority: a Priority. Default: Priority. UNAMBIGUOUS.

Returns The first (= most liked) candidate.

Return type candidate

Examples

```
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).first()
'a'
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).first(candidates={'b', 'c'}
$\infty$,
```

(continues on next page)

(continued from previous page)

```
⊶ASCENDING)
'b'
```

priority=Priority.

```
last (candidates: set = None, **kwargs) \rightarrow object
```

The last (= most disliked) candidate.

In this parent class, by default, the ballot is considered as a plurality ballot, i.e. the candidate indicated is the most liked.

Parameters

- candidates (set of candidates) -
- kwargs
 - priority: a Priority. Default: Priority. UNAMBIGUOUS.

Returns The last (= most disliked) candidate.

Return type candidate

Examples

restrict (*candidates: set* = *None*, ***kwargs*) \rightarrow whalrus.ballots.ballot_one_name.BallotOneName Restrict the ballot to less candidates.

Parameters

- **candidates** (*set of candidates*) It can be any set of candidates, not necessarily a subset of self.candidates). Default: self.candidates.
- kwargs -
 - priority: a Priority. Default: Priority. UNAMBIGUOUS.

Returns The same ballot, "restricted" to the candidates given.

Return type BallotOneName

Examples

5.1.6 BallotVeto

```
class whalrus.BallotVeto(b: object, candidates: set = None)
        A veto (anti-plurality) ballot.
```

Examples

а

```
>>> ballot = BallotVeto('a', candidates={'a', 'b', 'c'})
>>> print(ballot)
```

```
>>> ballot = BallotVeto(None, candidates={'a', 'b', 'c'})
>>> print(ballot)
None
```

candidates_in_b

The candidate that is explicitly mentioned in the ballot.

This is a singleton with the only candidate contained in the ballot (or an empty set in case of abstention).

Examples

```
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).candidates_in_b
{'a'}
>>> BallotOneName(None, candidates={'a', 'b', 'c'}).candidates_in_b
{}
```

Type NiceSet

candidates_not_in_b

The candidates that were available at the moment of the vote, but are not explicitly mentioned in the ballot.

Examples

```
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).candidates_not_in_b
{'b', 'c'}
```

Type NiceSet

first (*candidates: set* = *None*, ***kwargs*) \rightarrow object

Examples

last (*candidates: set* = *None*, ***kwargs*) \rightarrow object

```
>>> BallotVeto('a', candidates={'a', 'b', 'c'}).last()
'a'
>>> BallotVeto('a', candidates={'a', 'b', 'c'}).last(candidates={'b', 'c'},
                                                       priority=Priority.
. . .
→ASCENDING)
'c'
```

restrict (*candidates: set* = None, **kwargs) \rightarrow whalrus.ballots.ballot_one_name.BallotOneName Restrict the ballot to less candidates.

Parameters

- candidates (set of candidates) It can be any set of candidates, not necessarily a subset of self.candidates). Default: self.candidates.
- kwargs -
 - priority: a Priority. Default: Priority. UNAMBIGUOUS.

Returns The same ballot, "restricted" to the candidates given.

Return type *BallotOneName*

Examples

```
>>> BallotOneName('a', candidates={'a', 'b'}).restrict(candidates={'b'})
BallotOneName('b', candidates={'b'})
>>> BallotOneName('a', candidates={'a', 'b', 'c'}).restrict(candidates={'b',
\leftrightarrow 'C'},
                                                                priority=Priority.
. . .
→ASCENDING)
BallotOneName('b', candidates={'b', 'c'})
```

5.2 ConverterBallot

5.2.1 ConverterBallot

```
class whalrus.ConverterBallot
```

A ballot converter.

A converter is a callable. Its input may have various formats. Its output must be a Ballot, often of a specific subclass. For more information and examples, cf. *ConverterBallotGeneral*.

5.2.2 ConverterBallotGeneral

class	whalrus.ConverterBallotGene:	ral (<i>pluralit</i>	ty_priority:	whalrus.prior	ities.p	priorit	y.Priority
		=	Priority.U.	NAMBIGUOUS,		veto_	priority:
		whalru	s.priorities.	priority.Priority		=	Pri-
		ority.U	NAMBIGU	OUS,	one_	name_	_priority:
		whalru	s.priorities.	priority.Priority		=	Prior-
		ity.UNA	AMBIGUOU	US)			
G	eneral ballot converter						

General ballot converter.

This is a default general converter. It tries to infer the type of input and converts it to an object of the relevant subclass of *Ballot*.

Parameters

- **plurality_priority** (Priority) Option passed to *BallotPlurality*. restrict() when restricting the ballot if, once converted, it is a *BallotPlurality*.
- **veto_priority** (Priority) Option passed to BallotVeto.restrict() when restricting the ballot if, once converted, if is a BallotVeto.
- one_name_priority (Priority) Option passed to BallotOneName. restrict() when restricting the ballot if, once converted, it is a BallotOneName (but not a BallotPlurality or BallotVeto).

Examples

Typical usage:

```
>>> converter = ConverterBallotGeneral()
>>> converter({'a': 10, 'b': 7, 'c': 0})
BallotLevels({'a': 10, 'b': 7, 'c': 0}, candidates={'a', 'b', 'c'}, scale=Scale())
>>> converter([{'a', 'b'}, {'c'}])
BallotOrder([{'a', 'b'}, 'c'], candidates={'a', 'b', 'c'})
>>> converter('a ~ b > c')
BallotOrder([{'a', 'b'}, 'c'], candidates={'a', 'b', 'c'})
>>> converter('Alice')
BallotOneName('Alice', candidates={'Alice'})
```

It is also possible to "restrict" the set of candidates on-the-fly:

```
>>> converter = ConverterBallotGeneral()
>>> converter('a ~ b > c', candidates={'b', 'c'})
BallotOrder(['b', 'c'], candidates={'b', 'c'})
>>> converter({'a': 10, 'b': 7, 'c': 0}, candidates={'b', 'c'})
BallotLevels({'b': 7, 'c': 0}, candidates={'b', 'c'}, scale=Scale())
```

Cf. Ballot.restrict() for more information.

Use options for the restrictions:

5.2.3 ConverterBallotToGrades

This is a default converter to a *BallotLevels* using numeric grades. It tries to infer the type of input and converts it to a *BallotLevels*, with a numeric scale. It is a wrapper for the specialized converters *ConverterBallotToLevelsInterval*, *ConverterBallotToLevelsRange*, and *ConverterBallotToLevelsListNumeric*.

Parameters

- **scale** (numeric *Scale*) If specified, then the ballot will be converted to this scale. If it is None, then any ballot that is of class *BallotLevels* and numeric will be kept as it is, and any other ballot will converted to a *BallotLevels* using a *ScaleInterval* with bounds 0 and 1.
- **borda_unordered_give_points** (*bool*) When converting a *BallotOrder* that is not a *BallotLevels*, we use Borda scores as a calculation step. This parameter decides whether the unordered candidates of the ballot give points to the ordered candidates. Cf. *ScorerBorda*.

Examples

Typical usages:

```
>>> ballot = BallotLevels({'a': 100, 'b': 57}, scale=ScaleRange(0, 100))
>>> ConverterBallotToGrades(scale=ScaleInterval(low=0, high=10))(ballot).as_dict
{'a': 10, 'b': Fraction(57, 10)}
>>> ConverterBallotToGrades(scale=ScaleRange(low=0, high=10))(ballot).as_dict
{'a': 10, 'b': 6}
>>> ConverterBallotToGrades(scale=ScaleFromSet({0, 2, 4, 10}))(ballot).as_dict
{'a': 10, 'b': 4}
```

```
>>> ballot = BallotLevels({'a': 'Good', 'b': 'Medium'},
... scale=ScaleFromList(['Bad', 'Medium', 'Good']))
>>> ConverterBallotToGrades()(ballot).as_dict
{'a': 1, 'b': Fraction(1, 2)}
```

Formoreexamples,cf.ConverterBallotToLevelsInterval,ConverterBallotToLevelsRange, and ConverterBallotToLevelsListNumeric.

5.2.4 ConverterBallotToLevels

This is a default converter to a BallotLevels. It tries to infer the type of input and converts it to a BallotLevels. It is a wrapper for the specialized converters ConverterBallotToLevelsInterval, ConverterBallotToLevelsRange, ConverterBallotToLevelsListNumeric, and ConverterBallotToLevelsListNonNumeric.

Parameters

- **scale** (Scale) If specified, then the ballot will be converted to this scale. If it is None, then any ballot of class *BallotLevels* will be kept as it is, and any other ballot will converted to a *BallotLevels* using a *ScaleInterval* with bounds 0 and 1
- **borda_unordered_give_points** (*bool*) When converting a *BallotOrder* that is not a *BallotLevels*, we use Borda scores as a calculation step. This parameter decides

whether the unordered candidates of the ballot give points to the ordered candidates. Cf. *ScorerBorda*.

Examples

Typical usages:

```
>>> ballot = BallotLevels({'a': 100, 'b': 57}, scale=ScaleRange(0, 100))
>>> ConverterBallotToLevels(scale=ScaleInterval(low=0, high=10))(ballot).as_dict
{'a': 10, 'b': Fraction(57, 10)}
>>> ConverterBallotToLevels(scale=ScaleRange(low=0, high=10))(ballot).as_dict
{'a': 10, 'b': 6}
>>> ConverterBallotToLevels(scale=ScaleFromList([
... 'Bad', 'Medium', 'Good', 'Very Good', 'Great', 'Excellent']))(ballot).as_
dict
{'a': 'Excellent', 'b': 'Very Good'}
>>> ConverterBallotToLevels(scale=ScaleFromSet({0, 2, 4, 10}))(ballot).as_dict
{'a': 10, 'b': 4}
```

Formoreexamples,cf.ConverterBallotToLevelsInterval,ConverterBallotToLevelsRange,ConverterBallotToLevelsListNumeric,andConverterBallotToLevelsListNonNumeric.

5.2.5 ConverterBallotToLevelsInterval

Parameters

- scale (ScaleInterval) -
- **borda_unordered_give_points** (*bool*) When converting a *BallotOrder* that is not a *BallotLevels*, we use Borda scores (normalized to the interval [scale.low, scale.high]. This parameter decides whether the unordered candidates of the ballot give points to the ordered candidates. Cf. *ScorerBorda*.

Examples

Typical usages:

```
>>> converter = ConverterBallotToLevelsInterval()
>>> b = BallotLevels({'a': 1, 'b': .5}, candidates={'a', 'b', 'c'},_

->> converter(b).as_dict
{'a': 1, 'b': Fraction(3, 4)}
>>> b = BallotLevels({'a': 5, 'b': 4}, candidates={'a', 'b', 'c'},_
->> converter(b).as_dict
{'a': 1, 'b': Fraction(4, 5)}
>>> b = BallotLevels({'a': 3, 'b': 0}, candidates={'a', 'b', 'c'},_
->> b = BallotLevels({'a': 3, 'b': 0}, candidates={'a', 'b', 'c'},_
```

(continues on next page)
```
>>> converter(b).as_dict
{'a': 1, 'b': Fraction(1, 4)}
>>> b = BallotLevels({'a': 'Excellent', 'b': 'Very Good'}, candidates={'a', 'b',
\leftrightarrow 'c'},
                      scale=ScaleFromList(['Bad', 'Medium', 'Good', 'Very Good',
. . .
\leftrightarrow 'Excellent']))
>>> converter(b).as_dict
{'a': 1, 'b': Fraction(3, 4)}
>>> converter(BallotOneName('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 1, 'b': 0, 'c': 0}
>>> converter(BallotPlurality('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 1, 'b': 0, 'c': 0}
>>> converter(BallotVeto('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 0, 'b': 1, 'c': 1}
>>> converter('a > b > c').as_dict
{'a': 1, 'b': Fraction(1, 2), 'c': 0}
```

Options for converting ordered ballots:

```
>>> b = BallotOrder('a > b > c', candidates={'a', 'b', 'c', 'd', 'e'})
>>> ConverterBallotToLevelsInterval(borda_unordered_give_points=False)(b).as_dict
{'a': 1, 'b': Fraction(1, 2), 'c': 0}
>>> ConverterBallotToLevelsInterval(borda_unordered_give_points=True)(b).as_dict
{'a': 1, 'b': Fraction(3, 4), 'c': Fraction(1, 2)}
```

5.2.6 ConverterBallotToLevelsListNonNumeric

```
class whalrus.ConverterBallotToLevelsListNonNumeric(scale: whal-
rus.scales.scale_from_list.ScaleFromList,
borda_unordered_give_points:
bool = True)
Default converter to a BallotLevels using a ScaleFromList of levels that are not numbers.
```

This converter works essentially the same as *ConverterBallotToLevelsInterval*, but it then maps the evaluation to levels of the scale.

Parameters

- **scale** (ScaleFromList) The scale.
- **borda_unordered_give_points** (*bool*) When converting a *BallotOrder* that is not a *BallotLevels*, we use Borda scores as a calculation step. This parameter decides whether the unordered candidates of the ballot give points to the ordered candidates. Cf. *ScorerBorda*.

Examples

Typical usages:

(continues on next page)

```
{'a': 'Excellent', 'b': 'Very Good'}
>>> b = BallotLevels({'a': 5, 'b': 4}, candidates={'a', 'b', 'c'},...
\hookrightarrow scale=ScaleRange(0, 5))
>>> converter(b).as_dict
{'a': 'Excellent', 'b': 'Great'}
>>> b = BallotLevels({'a': 4, 'b': 0}, candidates={'a', 'b', 'c'},
\rightarrow scale=ScaleFromSet({-1, 0, 4}))
>>> converter(b).as_dict
{'a': 'Excellent', 'b': 'Medium'}
>>> converter(BallotOneName('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 'Excellent', 'b': 'Bad', 'c': 'Bad'}
>>> converter(BallotPlurality('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 'Excellent', 'b': 'Bad', 'c': 'Bad'}
>>> converter(BallotVeto('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 'Bad', 'b': 'Excellent', 'c': 'Excellent'}
>>> converter('a > b > c > d').as_dict
{'a': 'Excellent', 'b': 'Very Good', 'c': 'Good', 'd': 'Bad'}
```

5.2.7 ConverterBallotToLevelsListNumeric

class whalrus.ConverterBallotToLevelsListNumeric(scale: whalrus.scales.scale_from_list.ScaleFromList, borda_unordered_give_points: bool = True) Default converter to a BallotLevels using a ScaleFromList of numbers.

This converter works essentially the same as *ConverterBallotToLevelsInterval*, but it then maps the evaluations to levels of the scale.

Parameters

- scale (ScaleFromList) The scale.
- **borda_unordered_give_points** (*bool*) When converting a *BallotOrder* that is not a *BallotLevels*, we use Borda scores as a calculation step. This parameter decides whether the unordered candidates of the ballot give points to the ordered candidates. Cf. *ScorerBorda*.

Examples

Typical usages:

```
>>> converter = ConverterBallotToLevelsListNumeric(scale=ScaleFromList([-1, 0, 3,_

-4]))
>>> b = BallotLevels({'a': 1, 'b': .2}, candidates={'a', 'b', 'c'},_

-scale=ScaleInterval(-1, 1))
>>> converter(b).as_dict
{'a': 4, 'b': 3}
>>> b = BallotLevels({'a': 5, 'b': 4}, candidates={'a', 'b', 'c'},_

-scale=ScaleRange(0, 5))
>>> converter(b).as_dict
{'a': 4, 'b': 3}
>>> b = BallotLevels({'a': 4, 'b': 0}, candidates={'a', 'b', 'c'},_

-scale=ScaleFromSet({-1, 0, 4}))
>>> converter(b).as_dict
```

(continues on next page)

```
{'a': 4, 'b': 0}
>>> converter(BallotOneName('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 4, 'b': -1, 'c': -1}
>>> converter(BallotPlurality('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 4, 'b': -1, 'c': -1}
>>> converter(BallotVeto('a', candidates={'a', 'b', 'c'})).as_dict
{'a': -1, 'b': 4, 'c': 4}
>>> converter('a > b > c > d').as_dict
{'a': 4, 'b': 3, 'c': 0, 'd': -1}
```

5.2.8 ConverterBallotToLevelsRange

class	whalrus.ConverterBallotToLevelsRange (scale: whalrus.scales.scale_range.S	sRange (scale: whalrus.scales.scale_range.ScaleRange					
	= ScaleRange(low=0,	high=1),					
	borda_unordered_give_points:	bool	=				
	True)						
D	efault converter to a BallotLevels using a ScaleRange (range of integers).						

This converter works essentially the same as *ConverterBallotToLevelsInterval*, but it rounds the grades to the nearest integers.

Parameters

- **scale** (ScaleRange) The scale.
- **borda_unordered_give_points** (*bool*) When converting a *BallotOrder* that is not a *BallotLevels*, we use Borda scores (normalized to the interval [scale.low, scale.high] and rounded). This parameter decides whether the unordered candidates of the ballot give points to the ordered candidates. Cf. *ScorerBorda*.

Examples

Typical usages:

```
>>> converter = ConverterBallotToLevelsRange(scale=ScaleRange(low=0, high=10))
>>> b = BallotLevels({'a': 1, 'b': .4}, candidates={'a', 'b', 'c'},_
>>> converter(b).as_dict
{'a': 10, 'b': 7}
>>> b = BallotLevels({'a': 5, 'b': 4}, candidates={'a', 'b', 'c'},_
\rightarrow scale=ScaleRange(0, 5))
>>> converter(b).as_dict
{'a': 10, 'b': 8}
>>> b = BallotLevels({'a': 4, 'b': 0}, candidates={'a', 'b', 'c'},_
\Rightarrow scale=ScaleFromSet({-1, 0, 4}))
>>> converter(b).as_dict
{'a': 10, 'b': 2}
>>> b = BallotLevels(
       {'a': 'Excellent', 'b': 'Very Good'}, candidates={'a', 'b', 'c'},
. . .
       scale=ScaleFromList(['Bad', 'Medium', 'Good', 'Very Good', 'Great',
. . .
>>> converter(b).as_dict
{'a': 10, 'b': 6}
>>> converter(BallotOneName('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 10, 'b': 0, 'c': 0}
```

(continues on next page)

```
>>> converter(BallotPlurality('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 10, 'b': 0, 'c': 0}
>>> converter(BallotVeto('a', candidates={'a', 'b', 'c'})).as_dict
{'a': 0, 'b': 10, 'c': 10}
>>> converter('a > b > c').as_dict
{'a': 10, 'b': 5, 'c': 0}
```

Options for converting ordered ballots:

5.2.9 ConverterBallotToOrder

class whalrus.ConverterBallotToOrder

Default converter to a BallotOrder.

This is a default converter to a *BallotOrder*. It tries to infer the type of input and converts it to an ordered ballot (possibly a ballot of a subclass, such as *BallotLevels*).

Examples

```
>>> converter = ConverterBallotToOrder()
>>> converter('a > b ~ c')
BallotOrder(['a', {'b', 'c'}], candidates={'a', 'b', 'c'})
>>> converter(['a', {'b', 'c'}], candidates={'a', 'b', 'c'})
BallotOrder(['a', {'b', 'c'}], candidates={'a', 'b', 'c'}, scale=Scale())
BallotLevels({'a': 10, 'b': 7, 'c': 0}, candidates={'a', 'b', 'c'}, scale=Scale())
BallotOrder(['a', {'b', 'c'}], candidates={'a', 'b', 'c'})
BallotOrder([{'b', 'c'}, 'a'], candidates={'a', 'b', 'c'})
```

5.2.10 ConverterBallotToPlurality

class	whalrus.ConverterBallotToPlurality	(pri	ority:	whalrus.priorities.	.priority.	Priority
		=	Priority.L	INAMBIGUOUS,	order_Į	oriority:
		whalrus.priorities.priority.Priority				
		=	None,	plurality_priori	ty:	whal-
		rus	.priorities.p	oriority.Priority	=	None,
		veto_priority: whalrus.priorities.priority.Priorit				Priority
		=	None,	one_name_prior	ity:	whal-
		rus	.priorities.p	oriority.Priority = 1	None)	
D	efault converter to a BallotPlurality.					
	Parameters					

- **priority** (Priority) Serves as a default value for the other parameters if they are not explicitly mentioned. Default: *Priority*. *UNAMBIGUOUS*.
- **order_priority** (Priority) Option passed to *BallotOrder.first()*. Default: priority.
- **plurality_priority** (Priority) Option passed to *BallotPlurality*. *first()*. Default: priority.
- **veto_priority** (Priority) Option passed to *BallotVeto.first()*. Default: priority.
- **one_name_priority** (Priority) Option passed to BallotOneName.first(). Default: priority.

Examples

Typical usages:

```
>>> converter = ConverterBallotToPlurality()
>>> converter(BallotOneName('a', candidates={'a', 'b'}))
BallotPlurality('a', candidates={'a', 'b'})
>>> converter(BallotVeto('a', candidates={'a', 'b'}))
BallotPlurality('b', candidates={'a', 'b'})
>>> converter({'a': 10, 'b': 7, 'c':0})
BallotPlurality('a', candidates={'a', 'b', 'c'})
>>> converter('a > b ~ c')
BallotPlurality('a', candidates={'a', 'b', 'c'})
>>> converter(['a', {'b', 'c'}])
BallotPlurality('a', candidates={'a', 'b', 'c'})
```

Use options for the restrictions:

```
>>> converter = ConverterBallotToPlurality(priority=Priority.ASCENDING)
>>> converter('a ~ b > c')
BallotPlurality('a', candidates={'a', 'b', 'c'})
```

Misc:

```
>>> ballot = BallotVeto('a', candidates={'a', 'b', 'c'})
>>> converter = ConverterBallotToPlurality()
>>> converter(ballot, candidates={'a', 'b', 'd'})
BallotPlurality('b', candidates={'a', 'b'})
```

5.2.11 ConverterBallotToStrictOrder

class whalrus.**ConverterBallotToStrictOrder** (*priority: whalrus.priority.Priority.Priority* = *Priority.UNAMBIGUOUS*)

Default converter to a strictly ordered ballot.

This is a default converter to a strictly ordered ballot (cf. *BallotOrder.is_strict*). It tries to infer the type of input and converts it to a *BallotOrder* (possibly a ballot of a subclass, such as *BallotLevels*), ensuring that the represented order is strict.

Parameters priority (Priority) – The *Priority* used to break ties. Default: *Priority*. *UNAMBIGUOUS*.

Examples

```
>>> converter = ConverterBallotToStrictOrder(priority=Priority.ASCENDING)
>>> converter('a > b ~ c')
BallotOrder(['a', 'b', 'c'], candidates={'a', 'b', 'c'})
>>> converter(['a', 'b', 'c'], candidates={'a', 'b', 'c'})
BallotOrder(['a', 'b', 'c'], candidates={'a', 'b', 'c'}, scale=Scale())
BallotLevels({'a': 10, 'b': 7, 'c': 0}, candidates={'a', 'b', 'c'})
BallotOrder(['a', 'b', 'c'], candidates={'a', 'b', 'c'})
BallotOrder(['b', 'c', 'a'], candidates={'a', 'b', 'c'})
```

5.2.12 ConverterBallotToVeto

class whalrus.**ConverterBallotToVeto** (*priority*: whalrus.priorities.priority.Priority *Priority.UNAMBIGUOUS, order priority:* whalrus.priorities.priority.Priority = None. plurality priority: whalrus.priorities.priority.Priority = None, veto priority: whalrus.priorities.priority.Priority one_name_priority: None. whal*rus.priorities.priority.Priority* = *None*)

Default converter to a BallotVeto.

Parameters

- **priority** (Priority) Serves as a default value for the other parameters if they are not explicitly mentioned. Default: *Priority.UNAMBIGUOUS*.
- **order_priority** (Priority) Option passed to *BallotOrder.last()*. Default: priority.
- **plurality_priority** (Priority) Option passed to *BallotPlurality*. *last()*. Default: priority.
- **veto_priority** (Priority) Option passed to *BallotVeto.last()*. Default: priority.
- **one_name_priority** (Priority) Option passed to BallotOneName.last(). Default: priority.

Examples

Typical usages:

```
>>> converter = ConverterBallotToVeto()
>>> converter(BallotOneName('a', candidates={'a', 'b'}))
BallotVeto('a', candidates={'a', 'b'})
>>> converter(BallotPlurality('a', candidates={'a', 'b'}))
BallotVeto('b', candidates={'a', 'b'})
>>> converter({'a': 10, 'b': 7, 'c':0})
BallotVeto('c', candidates={'a', 'b', 'c'})
>>> converter('a ~ b > c')
BallotVeto('c', candidates={'a', 'b', 'c'})
>>> converter([{'a', 'b'}, 'c'])
BallotVeto('c', candidates={'a', 'b', 'c'})
```

Use options for the restrictions:

```
>>> converter = ConverterBallotToVeto(priority=Priority.ASCENDING)
>>> converter('a > b ~ c')
BallotVeto('c', candidates={'a', 'b', 'c'})
```

5.3 Elimination

5.3.1 Elimination

class whalrus.Elimination(*args, **kwargs)

An elimination method.

An *Elimination* object is a callable whose input is a *Rule* (which has already loaded a profile). When the *Elimination* object is called, it loads the rule. The output of the call is the *Elimination* object itself. But after the call, you can access to the computed variables (ending with an underscore), such as *eliminated_order_*, *eliminated_or qualified_*.

Parameters

- **args** If present, these parameters will be passed to <u>call</u> immediately after initialization.
- **kwargs** If present, these parameters will be passed to <u>call</u> immediately after initialization.

rule_

This attribute stores the rule given in argument of the __call__.

Type Rule

Examples

Cf. EliminationLast for some examples.

eliminated_

The eliminated candidates.

This should always be non-empty. It may contain all the candidates (for example, it is always the case when there was only one candidate in the election).

Type NiceSet

eliminated_order_

The order on the eliminated candidates.

It is a list where each element is a NiceSet. Each set represents a class of tied candidates. The first set in the list represents the "best" eliminated candidates, whereas the last set represent the "worst" candidates.

Type list

qualified_

The candidates that are qualified (not eliminated).

Type NiceSet

5.3.2 EliminationBelowAverage

```
class whalrus.EliminationBelowAverage(*args, strict=True, **kwargs)
```

Elimination of the candidates whose score is lower than the average score

Parameters

- args Cf. parent class.
- **strict** (*bool*) If True (resp. False), then eliminate the candidates whose score is strictly lower than (resp. lower or equal to) the average.
- kwargs Cf. parent class.

Examples

```
>>> rule = RulePlurality(ballots=['a', 'b', 'c', 'd'], weights=[35, 30, 25, 10])
>>> rule.gross_scores_
{'a': 35, 'b': 30, 'c': 25, 'd': 10}
>>> EliminationBelowAverage(rule=rule).eliminated_
{'d'}
>>> EliminationBelowAverage(rule=rule, strict=False).eliminated_
{'c', 'd'}
```

If no candidates should be eliminated (which may happen only if strict is True), then all candidates are eliminated.

```
>>> rule = RulePlurality(ballots=['a', 'b'])
>>> rule.gross_scores_
{'a': 1, 'b': 1}
>>> EliminationBelowAverage(rule=rule).eliminated_
{'a', 'b'}
```

eliminated_

The eliminated candidates.

This should always be non-empty. It may contain all the candidates (for example, it is always the case when there was only one candidate in the election).

Type NiceSet

qualified_

The candidates that are qualified (not eliminated).

Type NiceSet

5.3.3 EliminationLast

```
class whalrus.EliminationLast (*args, k: int = 1, **kwargs)
```

Elimination of the last candidates (with a fixed number of candidates to eliminate, or to qualify).

Parameters

- **args** Cf. parent class.
- k (int) A nonzero integer. The number of eliminated candidates. If this number is negative, then len(rule.candidates_) abs(k) candidates are eliminated, i.e. abs(k) candidates are qualified.
- **kwargs**` Cf. parent class.

Examples

In the most general syntax, firstly, you define the elimination method:

```
>>> elimination = EliminationLast(k=1)
```

Secondly, you use it as a callable to load a particular election (rule, profile, candidates):

```
>>> rule = RulePlurality(ballots=['a', 'a', 'b', 'b', 'c'])
>>> elimination(rule) # doctest:+ELLIPSIS
<... object at ...>
```

Finally, you can access the computed variables:

```
>>> elimination.eliminated_
{'c'}
```

Later, if you wish, you can load another election with the same elimination method, and so on.

Optionally, you can specify an election (rule, profile, candidates) as soon as the *Elimination* object is initialized. This allows for one-liners such as:

Typical usage with k = 1 (e.g. for *RuleIRV*):

```
>>> rule = RulePlurality(ballots=['a', 'a', 'a', 'b', 'b', 'c', 'c', 'd', 'e'],
... tie_break=Priority.ASCENDING)
>>> EliminationLast(rule=rule, k=1).eliminated_
{'e'}
```

Typical usage with k = -2 (e.g. for *RuleTwoRound*):

```
>>> rule = RulePlurality(ballots=['a', 'a', 'a', 'b', 'b', 'c', 'c', 'd', 'e'],
... tie_break=Priority.ASCENDING)
>>> EliminationLast(rule=rule, k=-2).qualified_
{'a', 'b'}
```

Order of elimination:

```
>>> rule = RulePlurality(ballots=['a', 'a', 'a', 'b', 'b', 'c', 'c', 'd', 'e'],
... tie_break=Priority.ASCENDING)
>>> EliminationLast(rule=rule, k=-2).eliminated_order_
[{'c'}, {'d', 'e'}]
```

There must always be at least one eliminated candidate. If it is not possible to eliminate (case k > 0) or keep (case k < 0) as many candidates as required, then everybody is eliminated:

```
>>> rule = RulePlurality(ballots=['a'])
>>> EliminationLast(rule=rule, k=1).eliminated_
{'a'}
>>> EliminationLast(rule=rule, k=-2).eliminated_
{'a'}
```

eliminated_

The eliminated candidates.

This should always be non-empty. It may contain all the candidates (for example, it is always the case when there was only one candidate in the election).

Type NiceSet

qualified_

The candidates that are qualified (not eliminated).

Type NiceSet

5.4 Matrix

5.4.1 Matrix

class whalrus.Matrix(*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot = None, **kwargs)

A way to compute a matrix from a profile.

A *Matrix* object is a callable whose inputs are ballots and optionally weights, voters and candidates. When it is called, it loads the profile. The output of the call is the *Matrix* object itself. But after the call, you can access to the computed variables (ending with an underscore), such as *as_dict_* or *as_array_*.

Parameters

- **args** If present, these parameters will be passed to <u>call</u> immediately after initialization.
- **converter** (ConverterBallot) The converter that is used to convert input ballots in order to compute *profile_converted_*. Default: *ConverterBallotGeneral*.
- **kwargs** If present, these parameters will be passed to <u>call</u> immediately after initialization.

profile_original_

The profile as it is entered by the user. This uses the constructor of *Profile*. Hence indirectly, it uses *ConverterBallotGeneral* to ensure, for example, that strings like 'a > b > c' are converted to :class:Ballot objects.

Type Profile

profile_converted_

The profile, with ballots that are adequate for the voting rule. For example, in *MatrixWeightedMajority*, it will be *BallotOrder* objects. This uses the parameter converter of the object.

Type Profile

candidates_

The candidates of the election, as entered in the __call__.

Type NiceSet

Examples

Cf. MatrixWeightedMajority for some examples.

as_array_

The matrix, as a numpy array. Each row and each column corresponds to a candidate (in the order of *candidates_as_list_*).

Type Array

as_array_of_floats_

The matrix, as a numpy array. It is the same as *as_array_*, but converted to floats.

Type Array

as_dict_

The matrix, as a NiceDict. Keys are pairs of candidates, and values are the coefficients of the matrix.

Type NiceDict

candidates_as_list_

The list of candidates. Candidates are sorted if possible.

Type list

candidates_indexes_

The candidates as a dictionary. To each candidate, it associates its index in candidates_as_list_.

Type NiceDict

5.4.2 MatrixMajority

```
class whalrus.MatrixMajority (*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot
```

= None, matrix_weighted_majority: whalrus.matrices.matrix.Matrix = None, greater: numbers.Number = 1, lower: numbers.Number = 0, equal: numbers.Number = Fraction(1, 2), diagonal: numbers.Number = Fraction(1, 2), **kwargs)

The majority matrix.

Parameters

- args Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToOrder.
- **matrix_weighted_majority** (*Matrix.*) Algorithm used to compute the weighted majority matrix *W*. Default: *MatrixWeightedMajority*.
- greater (Number) Value used when W(c, d) > W(d, c).

- lower (Number) Value used when W(c, d) < W(d, c).
- equal (Number) Value used when W(c, d) = W(d, c) (except for diagonal coefficients).
- diagonal (Number) Value used for the diagonal coefficients.
- kwargs Cf. parent class.

Examples

First, we compute a matrix W with the algorithm given in the parameter matrix_weighted_majority. Then for each pair of candidates (c, d), the coefficient of the majority matrix is set to greater, lower, equal or diagonal, depending on the values of W(c, d) and W(d, c).

```
>>> MatrixMajority(ballots=['a > b ~ c', 'b > a > c', 'c > a > b']).as_array_
array([[Fraction(1, 2), 1, 1],
       [0, Fraction(1, 2), Fraction(1, 2)],
       [0, Fraction(1, 2), Fraction(1, 2)]], dtype=object)
```

Using the options:

```
>>> MatrixMajority(ballots=['a > b ~ c', 'b > a > c', 'c > a > b'], equal=0,_

→diagonal=0).as_array_

array([[0, 1, 1],

       [0, 0, 0],

       [0, 0, 0]])
```

as_array_

The matrix, as a numpy array. Each row and each column corresponds to a candidate (in the order of candidates_as_list_).

Type Array

as_array_of_floats_

The matrix, as a numpy array. It is the same as *as_array_*, but converted to floats.

Type Array

matrix_weighted_majority_

The weighted majority matrix (upon which the computation of the majority matrix is based), once computed with the given profile.

Type Matrix

5.4.3 MatrixRankedPairs

The ranked pairs matrix.

Parameters

- args Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToOrder.

- matrix_weighted_majority (Matrix) Algorithm used to compute the weighted majority matrix W. Default: MatrixWeightedMajority.
- tie_break (Priority) The tie-break used when two duels have the same score.
- kwargs Cf. parent class.

Examples

First, we compute a matrix W with the algorithm given in the parameter matrix_weighted_majority. The ranked pair matrix represents a graph whose vertices are the candidates. In order to build it, we consider all duels between two distinct candidates (c, d), by decreasing order of the value W(c, d). We add an edge (c, d) in the ranked pairs matrix, except if it creates a cycle in the graph, and we consider the transitive closure.

In the example above, the edge (b, c) is added. Then it is the edge (a, b) which, by transitive closure, also adds the edge (a, c). Finally the edge (c, a) (representing the victory of c over a in the weighted majority matrix) should be added, but it would introduce a cycle in the graph, so it is ignored.

If two duels have the same score, the tie-break is used. For example, with *Priority*. *ASCENDING*, we add a victory (a, ...) before a victory (b, ...); and we add a victory (a, c) before a victory (a, b) (because b is favored over c). A very simple but illustrative example:

```
>>> MatrixRankedPairs(['a > b > c'], tie_break=Priority.ASCENDING).edges_order_
[('a', 'c'), ('a', 'b'), ('b', 'c')]
```

as_array_of_floats_

The matrix, as a numpy array. It is the same as as_array_, but converted to floats.

Type Array

edges_order_

```
The order in which edges should be added (if possible). It is a list of pairs of candidates. E.g. [('b', 'c'), ('c', 'a'), ('a', 'b')], where ('b', 'c') is the first edge to add.
```

Type list

matrix_weighted_majority_

The weighted majority matrix (upon which the computation of the Ranked Pairs matrix is based), once computed with the given profile).

Type Matrix

5.4.4 MatrixSchulze

```
class whalrus.MatrixSchulze(*args, converter: whalrus.converters_ballot.converter_ballot.
```

= None, matrix_weighted_majority: whalrus.matrices.matrix.Matrix

= None, **kwargs)

The Schulze matrix.

Parameters

- args Cf. parent class.
- **converter** (ConverterBallot) **Default**: ConverterBallotToOrder.
- **matrix_weighted_majority** (Matrix) Algorithm used to compute the weighted majority matrix *W*. Default: *MatrixWeightedMajority*.
- kwargs Cf. parent class.

Examples

First, we compute a matrix W with the algorithm given in the parameter matrix_weighted_majority. The Schulze matrix gives, for each pair of candidates (c, d), the width of the widest path from c to d, where the width of a path is the minimum weight of its edges.

```
>>> m = MatrixSchulze(['a > b > c', 'b > c > a', 'c > a > b'], weights=[4, 3, 2])
>>> m.as_array_
array([[0, Fraction(2, 3), Fraction(2, 3)],
        [Fraction(5, 9), 0, Fraction(7, 9)],
        [Fraction(5, 9), Fraction(5, 9), 0]], dtype=object)
```

as_array_of_floats_

The matrix, as a numpy array. It is the same as as_array_, but converted to floats.

Type Array

matrix_weighted_majority_

The weighted majority matrix (upon which the computation of the Schulze is based), once computed with the given profile.

Type Matrix

5.4.5 MatrixWeightedMajority

class	whalrus.MatrixWeightedMajorit	y (<i>*args</i> ,	converter:	whal-
		rus.conv	erters_ballot.converter_ballo	t.ConverterBallot
		= None,	higher_vs_lower: Optional[numbers.Number]
		= 1, l	ower_vs_higher: Optional[]	numbers.Number]
		= 0,	indifference: Optional	numbers.Number]
		= Fra	ction(1, 2), ordered vs u	nordered: Op-
		tional[n	umbers.Number] = 1, unord	lered vs ordered:
		Optiona	[[numbers.Number] =	0, un-
		ordered	vs_unordered: Optional[numbers.Number]
		= Fra	$action(1, 2), ordered_vs$	absent: Op-
		tional[n	umbers.Number] = None, al	bsent vs ordered:
		Optiona	[[numbers.Number] =	None, un-
		ordered	vs absent: Optional	numbers.Number]
		= N	Ione. absent vs unorde	red: Op-
		tional[n	umbers.Number1 = None.	absent vs absent:
		Ontiona	l[numbers_Number] = None	diagonal score:
		number	s Number = 0 default score:	numbers Number
		= 0 ant	isymmetric: bool = False **1	(kwargs)
T	he weighted majority matrix.	= 0, uni	<i>isymmetric: 500t – 1 uise, 1</i>	(1141.85)

The weighted majority mat

Parameters

- **args** Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToOrder.
- higher_vs_lower (*Number or None*) Number of points for candidate *c* when it is ordered higher than candidate *d*.
- **lower_vs_higher** (*Number or None*) Number of points for candidate *c* when it is ordered lower than candidate *d*.
- **indifference** (*Number or None*) Number of points for candidate *c* when it is ordered and tied with candidate *d*.
- ordered_vs_unordered (*Number or None*) Number of points for candidate c when it is ordered and d is unordered.
- **unordered_vs_ordered** (*Number or None*) Number of points for candidate c when it is unordered and d is ordered.
- **unordered_vs_unordered** (*Number or None*) Number of points for candidate *c* when it is unordered and *d* is unordered.
- **ordered_vs_absent** (*Number or None*) Number of points for candidate *c* when it is ordered and *d* is absent.
- **absent_vs_ordered** (*Number or None*) Number of points for candidate *c* when it is absent and *d* is ordered.
- **unordered_vs_absent** (*Number or None*) Number of points for candidate *c* when it is unordered and *d* is absent.
- **absent_vs_unordered** (*Number or None*) Number of points for candidate *c* when it is absent and *d* is unordered.
- **absent_vs_absent** (*Number or None*) Number of points for candidate *c* when it is absent and *d* is absent.
- diagonal_score (Number) Value of the diagonal coefficients.
- **default_score** (*Number*) Default score in the matrix in case of division by 0 (except for the diagonal coefficients).
- **antisymmetric** (*bool*) If True, then an antisymmetric version of the matrix is computed (by subtracting the transposed matrix at the end of the computation).
- kwargs Cf. parent class.

Examples

In the most general syntax, firstly, you define the matrix computation algorithm:

>>> matrix = MatrixWeightedMajority(diagonal_score=.5)

Secondly, you use it as a callable to load a particular election (profile, candidates):

```
>>> matrix(ballots=['a > b', 'b > a'], weights=[3, 1], voters=['v', 'w'],

→candidates={'a', 'b'}) # doctest:+ELLIPSIS

<... object at ...>
```

Finally, you can access the computed variables:

```
>>> matrix.as_array_
array([[Fraction(1, 2), Fraction(3, 4)],
        [Fraction(1, 4), Fraction(1, 2)]], dtype=object)
```

Later, if you wish, you can load another profile with the same matrix computation algorithm, and so on.

Optionally, you can specify an election (profile and candidates) as soon as the *Matrix* object is initialized. This allows for "one-liners" such as:

Antisymmetric version:

```
>>> MatrixWeightedMajority(ballots=['a > b', 'b > a'], weights=[3, 1], voters=['x

... candidates={'a', 'b'}, antisymmetric=True).as_array_

array([[0, Fraction(1, 2)],

    [Fraction(-1, 2), 0]], dtype=object)
```

An "unordered" candidate is a candidate that the voter has seen but not included in her ranking; i.e. it is in the attribute *BallotOrder.candidates_not_in_b* of the ballot. An "absent" candidate is a candidate that the voter has not even seen; i.e. it is in self.candidates_, but not the attribute *Ballot.candidates* of the ballot. For all the "scoring" parameters (from higher_vs_lower to absent_vs_absent), the value None can be used. In that case, the corresponding occurrences are not taken into account in the average (neither the numerator, not the denominator). Consider this example:

>>> ballots = ['a > b', 'a ~ b']

With indifference=Fraction (1, 2) (default), the ratio of voters who prefer *a* to *b* is (1 + 1/2)/2 = 3/4 (the indifferent voter gives 1/2 point and is counted in the denominator):

```
>>> MatrixWeightedMajority(ballots).as_array_
array([[0, Fraction(3, 4)],
        [Fraction(1, 4), 0]], dtype=object)
```

With indifference=0, the ratio of voters who prefer a to b is 1/2 (the indifferent voter gives no point, but is counted in the denominator):

```
>>> MatrixWeightedMajority(ballots, indifference=0).as_array_
array([[0, Fraction(1, 2)],
        [0, 0]], dtype=object)
```

With indifference=None, the ratio of voters who prefer a to b is 1 / 1 = 1 (the indifferent voter is not counted in the average at all):

```
>>> MatrixWeightedMajority(ballots, indifference=None).as_array_
array([[0, 1],
       [0, 0]])
```

as_array_

The matrix, as a numpy array. Each row and each column corresponds to a candidate (in the order of *candidates_as_list_*).

Type Array

as_array_of_floats_

The matrix, as a numpy array. It is the same as *as_array_*, but converted to floats.

Type Array

candidates_as_list_

The list of candidates. Candidates are sorted if possible.

Type list

candidates_indexes_

The candidates as a dictionary. To each candidate, it associates its index in candidates_as_list_.

Type NiceDict

gross_

The "gross" matrix. Keys are pairs of candidates. Each coefficient is the weighted number of points (used as numerator in the average).

Examples

Type NiceDict

weights_

The matrix of weights. Keys are pairs of candidates. Each coefficient is the total weight (used as denominator in the average).

Examples

In most usual cases, all non-diagonal coefficients are equal, and are equal to the total weight of all voters:

However, if some scoring parameters are None, some weights can be lower than the total weight of all voters:

```
>>> from whalrus import MatrixWeightedMajority
>>> MatrixWeightedMajority(ballots=['a > b', 'a ~ b'], weights=[2, 1],
... indifference=None).weights_
{('a', 'a'): 0, ('a', 'b'): 2, ('b', 'a'): 2, ('b', 'b'): 0}
```

Type NiceDict

5.5 Priority

5.5.1 Priority

```
class whalrus.Priority(name: str)
```

A priority setting, i.e. a policy to break ties and indifference classes.

Parameters name (*str*) – The name of this priority setting.

UNAMBIGUOUS

Shortcut for PriorityUnambiguous.

ABSTAIN

Shortcut for PriorityAbstain.

ASCENDING

Shortcut for *PriorityAscending*.

DESCENDING

Shortcut for PriorityDescending.

RANDOM

Shortcut for *PriorityRandom*.

Examples

Typical usage:

```
>>> priority = Priority.ASCENDING
>>> priority.choice({'c', 'a', 'b'})
'a'
>>> priority.sort({'c', 'a', 'b'})
['a', 'b', 'c']
```

choice (*x: Union[set, list], reverse: bool* = *False*) \rightarrow object Choose an element from a list, set, etc.

Parameters

- **x** (list, set, etc.) The list, set, etc where the element is to be chosen.
- **reverse** (*bool*) If False (default), then we choose the "first" or "best" element in this priority order. For example, if this is the ascending priority, we choose the lowest element. If True, then we choose the "last" or "worst" element. This is used, for example, in *RuleVeto*.

Returns The chosen element (or None). When x is empty, return None. When x has one element, return this element.

Return type object

compare $(c, d) \rightarrow int$

Compare two candidates.

Parameters

- c(candidate)-
- d(candidate.)-

Returns 0 if c = d, -1 if the tie is broken in favor of c over d, 1 otherwise.

Return type int

sort (*x: Union[set, list], reverse: bool* = *False*) \rightarrow Optional[list] Sort a list, set, etc.

The original list x is not modified.

Parameters

- x(list, set, etc.)-
- **reverse** (*bool*) If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

sort_pairs_rp (*x: Union[set, list], reverse: bool* = *False*) \rightarrow Optional[list] Sort a list, set, etc. of pairs of candidates (for Ranked Pairs).

By default, it is in the normal priority order for the first element of the pair, and in the reverse priority order for the second element of the pair.

The original list x is not modified.

Parameters

- **x**(list, set, etc.)-
- **reverse** (*bool*) If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

5.5.2 PriorityAbstain

class whalrus.PriorityAbstain

When there are two elements or more, return None.

Examples

```
>>> print(Priority.ABSTAIN.choice({'a', 'b'}))
None
>>> print(Priority.ABSTAIN.sort({'a', 'b'}))
None
```

choice (*x*: Union[set, list], reverse: bool = False) \rightarrow object Choose an element from a list, set, etc.

Parameters

- **x** (list, set, etc.) The list, set, etc where the element is to be chosen.
- **reverse** (*bool*) If False (default), then we choose the "first" or "best" element in this priority order. For example, if this is the ascending priority, we choose the lowest element. If True, then we choose the "last" or "worst" element. This is used, for example, in *RuleVeto*.
- **Returns** The chosen element (or None). When x is empty, return None. When x has one element, return this element.

Return type object

 $\texttt{compare}(c, d) \rightarrow \mathsf{int}$

Compare two candidates.

Parameters

• c(candidate)-

• d(candidate.)-

Returns 0 if c = d, -1 if the tie is broken in favor of c over d, 1 otherwise.

Return type int

sort (*x: Union[set, list], reverse: bool* = *False*) \rightarrow Optional[list] Sort a list, set, etc.

The original list x is not modified.

Parameters

• x(list, set, etc.)-

• **reverse** (*bool*) – If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

```
sort_pairs_rp (x: Union[set, list], reverse: bool = False) \rightarrow Optional[list] Sort a list, set, etc. of pairs of candidates (for Ranked Pairs).
```

By default, it is in the normal priority order for the first element of the pair, and in the reverse priority order for the second element of the pair.

The original list x is not modified.

Parameters

• **x**(list, set, etc.)-

• **reverse** (*bool*) – If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

5.5.3 PriorityAscending

class whalrus.PriorityAscending

Ascending order (lowest is favoured).

Examples

```
>>> Priority.ASCENDING.choice({'a', 'b'})
'a'
>>> Priority.ASCENDING.sort({'a', 'b'})
['a', 'b']
>>> Priority.ASCENDING.sort_pairs_rp({('a', 'b'), ('b', 'a'), ('a', 'c')})
[('a', 'c'), ('a', 'b'), ('b', 'a')]
```

choice (*x: Union[set, list], reverse: bool* = *False*) \rightarrow object Choose an element from a list, set, etc.

Parameters

- **x** (list, set, etc.) The list, set, etc where the element is to be chosen.
- **reverse** (bool) If False (default), then we choose the "first" or "best" element in this priority order. For example, if this is the ascending priority, we choose the lowest element. If True, then we choose the "last" or "worst" element. This is used, for example, in *RuleVeto*.

Returns The chosen element (or None). When x is empty, return None. When x has one element, return this element.

Return type object

compare $(c, d) \rightarrow int$

Compare two candidates.

Parameters

- c(candidate)-
- d(candidate.)-

Returns 0 if c = d, -1 if the tie is broken in favor of c over d, 1 otherwise.

Return type int

sort (*x*: *Union*[*set*, *list*], *reverse: bool* = *False*) \rightarrow Optional[list]

Sort a list, set, etc.

The original list x is not modified.

Parameters

- **x**(list, set, etc.)-
- **reverse** (bool) If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

sort_pairs_rp (*x: Union[set, list], reverse: bool* = *False*) \rightarrow Optional[list] Sort a list, set, etc. of pairs of candidates (for Ranked Pairs).

By default, it is in the normal priority order for the first element of the pair, and in the reverse priority order for the second element of the pair.

The original list x is not modified.

Parameters

• x(list, set, etc.)-

• **reverse** (*bool*) – If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

5.5.4 PriorityDescending

class whalrus.PriorityDescending

Descending order (highest is favoured).

Examples

```
>>> Priority.DESCENDING.choice({'a', 'b'})
'b'
>>> Priority.DESCENDING.sort({'a', 'b'})
['b', 'a']
>>> Priority.DESCENDING.sort_pairs_rp({('a', 'b'), ('b', 'a'), ('a', 'c')})
[('b', 'a'), ('a', 'b'), ('a', 'c')]
```

choice (*x*: *Union*[*set*, *list*], *reverse*: *bool* = *False*) \rightarrow object

Choose an element from a list, set, etc.

Parameters

- **x** (list, set, etc.) The list, set, etc where the element is to be chosen.
- **reverse** (bool) If False (default), then we choose the "first" or "best" element in this priority order. For example, if this is the ascending priority, we choose the lowest element. If True, then we choose the "last" or "worst" element. This is used, for example, in *RuleVeto*.

Returns The chosen element (or None). When x is empty, return None. When x has one element, return this element.

Return type object

compare $(c, d) \rightarrow int$

Compare two candidates.

Parameters

- c(candidate)-
- d(candidate.)-

Returns 0 if c = d, -1 if the tie is broken in favor of c over d, 1 otherwise.

Return type int

sort (*x: Union[set, list], reverse: bool* = *False*) \rightarrow Optional[list] Sort a list, set, etc.

The original list x is not modified.

Parameters

• **x**(list, set, etc.)-

• **reverse** (*bool*) – If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

```
sort_pairs_rp (x: Union[set, list], reverse: bool = False) \rightarrow Optional[list] Sort a list, set, etc. of pairs of candidates (for Ranked Pairs).
```

By default, it is in the normal priority order for the first element of the pair, and in the reverse priority order for the second element of the pair.

The original list x is not modified.

Parameters

- x(list, set, etc.)-
- **reverse** (*bool*) If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

5.5.5 PriorityRandom

```
class whalrus.PriorityRandom Random order.
```

Examples

```
>>> my_choice = Priority.RANDOM.choice({'a', 'b'})
>>> my_choice in {'a', 'b'}
True
>>> my_order = Priority.RANDOM.sort({'a', 'b'})
>>> my_order == ['a', 'b'] or my_order == ['b', 'a']
True
```

choice (*x: Union[set, list], reverse: bool* = *False*) \rightarrow object Choose an element from a list, set, etc.

Parameters

- **x** (list, set, etc.) The list, set, etc where the element is to be chosen.
- **reverse** (*bool*) If False (default), then we choose the "first" or "best" element in this priority order. For example, if this is the ascending priority, we choose the lowest element. If True, then we choose the "last" or "worst" element. This is used, for example, in *RuleVeto*.
- **Returns** The chosen element (or None). When x is empty, return None. When x has one element, return this element.

Return type object

compare $(c, d) \rightarrow \text{int}$ Compare two candidates.

Parameters

- c(candidate)-
- d(candidate.)-

Returns 0 if c = d, -1 if the tie is broken in favor of c over d, 1 otherwise.

Return type int

sort (*x: Union[set, list], reverse: bool* = *False*) \rightarrow Optional[list] Sort a list, set, etc.

The original list x is not modified.

Parameters

• x(list, set, etc.)-

• **reverse** (*bool*) – If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

sort_pairs_rp (*x: Union[set, list], reverse: bool* = *False*) \rightarrow Optional[list] Sort a list, set, etc. of pairs of candidates (for Ranked Pairs).

By default, it is in the normal priority order for the first element of the pair, and in the reverse priority order for the second element of the pair.

The original list x is not modified.

Parameters

• **x**(list, set, etc.)-

• **reverse** (*bool*) – If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

5.5.6 PriorityUnambiguous

```
class whalrus.PriorityUnambiguous
```

When there are two elements or more, raise a ValueError.

Examples

```
>>> try:
... Priority.UNAMBIGUOUS.choice({'a', 'b'})
... except ValueError:
... print('Cannot choose')
Cannot choose
>>> try:
... Priority.UNAMBIGUOUS.sort({'a', 'b'})
... except ValueError:
... print('Cannot sort')
Cannot sort
```

choice (*x: Union[set, list], reverse: bool* = *False*) \rightarrow object Choose an element from a list, set, etc.

Parameters

- **x** (list, set, etc.) The list, set, etc where the element is to be chosen.
- **reverse** (*bool*) If False (default), then we choose the "first" or "best" element in this priority order. For example, if this is the ascending priority, we choose the lowest element. If True, then we choose the "last" or "worst" element. This is used, for example, in *RuleVeto*.

Returns The chosen element (or None). When x is empty, return None. When x has one element, return this element.

Return type object

compare $(c, d) \rightarrow int$

Compare two candidates.

Parameters

- c(candidate)-
- d(candidate.)-

Returns 0 if c = d, -1 if the tie is broken in favor of c over d, 1 otherwise.

Return type int

sort (*x: Union[set, list], reverse: bool* = *False*) \rightarrow Optional[list] Sort a list, set, etc.

The original list x is not modified.

Parameters

```
• x(list, set, etc.)-
```

• **reverse** (*bool*) – If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

```
sort_pairs_rp (x: Union[set, list], reverse: bool = False) \rightarrow Optional[list] Sort a list, set, etc. of pairs of candidates (for Ranked Pairs).
```

By default, it is in the normal priority order for the first element of the pair, and in the reverse priority order for the second element of the pair.

The original list x is not modified.

Parameters

• **x**(list, set, etc.)-

• **reverse** (bool) – If True, we use the reverse priority order.

Returns A sorted list (or None).

Return type list or None

5.6 Profile

class whalrus.**Profile** (*ballots: Union*[*list, Profile*], *weights: list = None, voters: list = None*) A profile of ballots.

Parameters

- **ballots** (*iterable*) Typically, it is a list, but it can also be a *Profile*. Its elements must be *Ballot* objects or, more generally, inputs that can be interpreted by *ConverterBallotGeneral*.
- weights (*list*) A list of numbers representing the weights of the ballots. Default: if *ballots* is a Profile, then use the weights of this profile; otherwise, all weights are 1.

• **voters** (*list*) – A list representing the voters corresponding to the ballots. Default: if *ballots* is a Profile, then use the voters of this profile; otherwise, all voters are None.

Examples

Most general syntax:

```
>>> profile = Profile(
... ballots=[BallotOrder('a > b ~ c'), BallotOrder('a ~ b > c')],
... weights=[2, 1],
... voters=['Alice', 'Bob']
... )
>>> print(profile)
Alice (2): a > b ~ c
Bob (1): a ~ b > c
```

In the following example, each ballot illustrates a different syntax:

```
>>> profile = Profile([
... ['a', 'b', 'c'],
... ('b', 'c', 'a'),
... 'c > a > b',
... ])
>>> print(profile)
a > b > c
b > c > a
c > a > b
```

Profiles have a list-like behavior in the sense that they implement __len__, __getitem__, __setitem__ and __delitem__:

```
>>> profile = Profile(['a > b', 'b > a', 'a ~ b'])
>>> len(profile)
3
>>> profile[0]
BallotOrder(['a', 'b'], candidates={'a', 'b'})
>>> profile[0] = 'a ~ b'
>>> print(profile)
a ~ b
b > a
a ~ b
>>> del profile[0]
>>> print(profile)
b > a
a ~ b
```

Profiles can be concatenated:

```
>>> profile = Profile(['a > b', 'b > a']) + ['a ~ b']
>>> print(profile)
a > b
b > a
a ~ b
```

Profiles can be multiplied by a scalar, which multiplies the weights:

```
>>> profile = Profile(['a > b', 'b > a']) * 3
>>> print(profile)
(3): a > b
(3): b > a
```

append (*ballot: object, weight: numbers.Number* = 1, *voter: object* = *None*) \rightarrow None Append a ballot to the profile.

Parameters

- **ballot** (*object*) A ballot or, more generally, an input that can be interpreted by *ConverterBallotGeneral*.
- weight (*Number*) The weight of the ballot.
- **voter** (*object*) The voter.

Examples

```
>>> profile = Profile(['a > b'])
>>> profile.append('b > a')
>>> print(profile)
a > b
b > a
```

ballots

The ballots.

Examples

Type list of Ballot

has_voters

Presence of explicit voters. True iff at least one voter is not None.

Examples

```
>>> profile = Profile(['a > b', 'b > a'])
>>> profile.has_voters
False
```

Type bool

has_weights

Presence of non-trivial weights. True iff at least one weight is not 1.

Examples

```
>>> profile = Profile(['a > b', 'b > a'])
>>> profile.has_weights
False
```

Type bool

```
items () \rightarrow Iterator[T_co]
Items of the profile.
```

Returns A zip of triples (ballot, weight, voter).

Return type Iterator

Examples

```
>>> profile = Profile(['a > b', 'b > a'])
>>> for ballot, weight, voter in profile.items():
... print('Ballot %s, weight %s, voter %s.' % (ballot, weight, voter))
Ballot a > b, weight 1, voter None.
Ballot b > a, weight 1, voter None.
```

remove (*ballot: object = None, voter: object = None*) \rightarrow None

Remove a ballot from the profile.

If only the ballot is specified, remove the first matching ballot in the profile. If only the voter is specified, remove the first ballot whose voter matches the given voter. If both are specified, remove the first ballot matching both descriptions.

Parameters

- **ballot** (*object*) The ballot or, more generally, an input that can be interpreted by *ConverterBallotGeneral*.
- **voter** (*object*) The voter.

Examples

```
>>> profile = Profile(['a > b', 'b > a'])
>>> profile.remove('b > a')
>>> print(profile)
a > b
```

voters

The voters.

Examples

```
>>> profile = Profile(['a > b', 'b > a'], voters=['Alice', 'Bob'])
>>> profile.voters
['Alice', 'Bob']
```

Type list

weights

The weights.

Examples

```
>>> profile = Profile(['a > b', 'b > a'])
>>> profile.weights
[1, 1]
```

Type list of Number

5.7 Rule: In General

5.7.1 Rule

A voting rule.

A *Rule* object is a callable whose inputs are ballots and optionally weights, voters and candidates. When the rule is called, it loads the profile. The output of the call is the rule itself. But after the call, you can access to the computed variables (ending with an underscore), such as *cowinners_*.

At the initialization of a *Rule* object, some options can be given, such as a tie-break rule or a converter. In some subclasses, there can also be an option about the way to count abstentions, etc.

Parameters

- **args** If present, these parameters will be passed to <u>call</u> immediately after initialization.
- tie_break (Priority) A tie-break rule.
- **converter** (ConverterBallot) The converter that is used to convert input ballots in order to compute *profile_converted_*. Default: *ConverterBallotGeneral*.
- **kwargs** If present, these parameters will be passed to <u>call</u> immediately after initialization.

profile_original_

The profile as it is entered by the user. Since it uses the constructor of Profile, it indirectly uses ConverterBallotGeneral to ensure, for example, that strings like 'a > b > c' are converted to Ballot objects.

Type Profile

profile_converted_

The profile, with ballots that are adapted to the voting rule. For example, in *RulePlurality*, it will be *BallotPlurality* objects, even if the original ballots are *BallotOrder* objects. This uses the parameter converter of the rule.

Type Profile

candidates_

The candidates of the election, as entered in the __call__.

Type NiceSet

Examples

Cf. *RulePlurality* for some examples.

cotrailers

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in RuleScoreNum, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners

Cowinners of the election, i.e. the candidates that fare best in the election.. This is the first equivalence class in order_. For example, in RuleScoreNum, it is the candidates that are tied for the best score.

Type NiceSet

n_candidates_

Number of candidates.

Type int

order

Result of the election as a (weak) order over the candidates. This is a list of NiceSet. The first set contains the candidates that are tied for victory, etc.

Type list

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers*_.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in cowinners_.

Type object

5.7.2 RuleIteratedElimination

class	whalrus.RuleIteratedElimination	(*args, base_rule:		ule: whalrus.ru	whalrus.rules.rule.Rule		
		=	None,	elimination:		whal-	
		rus. eliminations. elimination. Elimination			=	None,	
		propagate_tie_break=True, **kwargs)					
А	rule by iterated elimination (such as $RuleTRV$	Rule(Combs R	uleNanson etc)			

ed elimination (such as RuleIRV, RuleCoombs, RuleNanson, etc.)

Parameters

• args – Cf. parent class.

- **base_rule** (Rule) The rule used at each round to determine the eliminated candidate(s). Unlike for *RuleSequentialElimination*, all the rounds use the same voting rule.
- elimination (Elimination) The elimination algorithm. Default: EliminationLast(k=1).
- **propagate_tie_break** (bool) If True (default), then the tie-breaking rule of this object is also used for the base rule (cf. below).
- **kwargs** Cf. parent class.

Examples

Remark: there exists a shortcut for the above rule in particular, the class *RuleIRV*.

By default, propagate_tie_break is True. So if you want to specify a tie-breaking rule, just do it in the parameters of this object, and it will also be used in the base rule. This is probably what you want to do:

```
>>> irv = RuleIteratedElimination(['a > c > b', 'b > a > c', 'c > a > b'],__

weights=[1, 2, 1],

... base_rule=RulePlurality(), tie_break=Priority.

ASCENDING)

>>> irv.eliminations_[0].rule_.gross_scores_

{'a': 1, 'b': 2, 'c': 1}

>>> irv.eliminations_[1].rule_.gross_scores_

{'a': 2, 'b': 2}

>>> irv.eliminations_[2].rule_.gross_scores_

{'a': 4}

>>> irv.winner_

'a'
```

If propagate_tie_break is False, then there is a subtlety between the tie-breaking rule of this object, and the tie-breaking rule of the base rule. The following (somewhat contrived) example illustrates the respective roles of the two tie-breaking rules.

```
>>> rule = RuleIteratedElimination(
... ['a', 'b', 'c', 'd', 'e'], weights=[3, 2, 2, 2, 1],
... tie_break=Priority.DESCENDING, propagate_tie_break=False,
... base_rule=RulePlurality(tie_break=Priority.ASCENDING),_
... elimination=EliminationLast(k=2))
>>> rule.eliminations_[0].rule_.gross_scores_
{'a': 3, 'b': 2, 'c': 2, 'd': 2, 'e': 1}
```

With the worst score, e is eliminated anyway, but we need to eliminate a second candidate because k = 2. In Plurality, b, c and d are tied, but since Plurality's tie-breaking rule is ASCENDING, candidates b or c get an

advantage over d. Hence d is eliminated:

```
>>> rule.eliminations_[0].eliminated_
{'d', 'e'}
```

Note that the tie-breaking rule of the base rule (here Plurality) is always sufficient to compute the weak order over the candidates. This order may be finer than the elimination order, because being eliminated at the same time does not mean being tied, as d and e illustrate here:

>>> rule.order_
[{'a'}, {'b', 'c'}, {'d'}, {'e'}]

So, where does the tie-breaking rule of this object come in? It is simply used to get the strict order over the candidates, as usual in a *Rule*. In our example, since it is DESCENDING, candidate c gets an advantage over b:

```
>>> rule.strict_order_
['a', 'c', 'b', 'd', 'e']
```

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

eliminations_

The elimination rounds. A list of *Elimination* objects. The first one corresponds to the first round, etc.

Type list

n_candidates_

Number of candidates.

Type int

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.7.3 RuleScore

class	whalrus. RuleScore (*args,	tie_break:	whalrus.priorities.priority.Priority			
	=	Priority.UNAMBIGUOUS,	converter:		whal-	
	rus.con	verters_ballot.converter_ballot	t.ConverterBallot	=	None,	
	**kwar	(gs)				

A voting rule with scores (which are not necessarily numbers).

Each candidate is assigned a score (not necessarily a number), and the the cowinners are the candidates with the best score, in the sense defined by *compare_scores()*.

best_score_

The best score.

Type object

compare_scores (*one: object, another: object*) \rightarrow int

Compare two scores.

Parameters

- one (object) A score.
- **another** (*object*) A score.
- **Returns** 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

n_candidates_

Number of candidates.

Type int

order_

Result of the election as a (weak) order over the candidates. It is a list of NiceSet. The first set contains the candidates that have the best score, the second set contains those with the second best score, etc.

Type list

scores_

The scores. To each candidate, this dictionary assigns a score (non necessarily a number).

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_

The worst score.

Type object

5.7.4 RuleScoreNum

A voting rule with numeric scores.

This is a voting rule where each candidate is assigned a numeric score, and the candidates with the best score are declared the cowinners.

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int

Compare two scores.

Parameters

- one (object) A score.
- **another** (*object*) A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

n_candidates_

Number of candidates.

Type int

scores_

The scores. To each candidate, this dictionary assigns a numeric score.

Type NiceDict

scores_as_floats_

Scores as floats. It is the same as *scores_*, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.7.5 RuleScoreNumAverage

class	whalrus.RuleScoreNumAverage(*args,	scorer:	whalrus.scorers.sc	corer.Scorer	= None,	de-
	fault_average: numbers.Number = 0, **kwargs)						

A voting rule where each candidate's score is an average of the scores provided by the ballots.

Parameters

- **args** Cf. parent class.
- **scorer** (Scorer) For each ballot, it is in charge of computing its contribution to each candidate's score.
- **default_average** (*Number*) The default average score of a candidate when it receives no score whatsoever. It may happen, for example, if all voters abstain about this candidate. This avoids a division by zero when computing this candidate's average score.
- kwargs Cf. parent class.

Examples

Cf. RuleRangeVoting for some examples.

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int Compare two scores.

Parameters

- one (object) A score.
- **another** (*object*) A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

gross_scores_

The gross scores of the candidates. For each candidate, this dictionary gives the sum of its scores, multiplied by the weights of the corresponding voters. This is the numerator in the candidate's average score.

Type NiceDict

gross_scores_as_floats_

Gross scores as floats. It is the same as gross_scores_, but converted to floats.

Type NiceDict

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list
trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

weights_

The weights used for the candidates. For each candidate, this dictionary gives the total weight for this candidate, i.e. the total weight of all voters who assign a score to this candidate. This is the denominator in the candidate's average score.

Type NiceDict

weights_as_floats_

Weights as floats. It is the same as weights_, but converted to floats.

Type NiceDict

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.7.6 RuleScoreNumRowSum

class whalrus.**RuleScoreNumRowSum**(*args, matrix: whalrus.matrices.matrix.Matrix = None,

**kwargs)

Rule where the winner is the candidate having the highest row sum in some matrix.

The score of a candidate is the sum of the non-diagonal elements of its row in matrix_.

Parameters

- **args** Cf. parent class.
- matrix (Matrix) The matrix upon which the scores are based.
- kwargs Cf. parent class.

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int Compare two scores.

Parameters

- one (object) A score.
- **another** (*object*) A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

matrix_

The matrix (once computed with the given profile).

Type Matrix

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.7.7 RuleScorePositional

```
class whalrus.RuleScorePositional(*args,
```

*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot = None, points_scheme: list = None, **kwargs)

A positional scoring rule.

Parameters

- **args** Cf. parent class.
- **converter**(ConverterBallot) **Default**: ConverterBallotToStrictOrder.
- **points_scheme** (*list*) The list of points to be attributed to the candidates of a ballot. Cf. *ScorerPositional*.
- kwargs Cf. parent class.

Examples

Since this voting rule needs strict orders, problems may occur as soon as there is indifference in the ballots. To avoid these issues, specify the ballot converter explicitly:

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int

Compare two scores.

Parameters

- one (object) A score.
- **another** (*object*) A score.
- **Returns** 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

gross_scores_

The gross scores of the candidates. For each candidate, this dictionary gives the sum of its scores, multiplied by the weights of the corresponding voters. This is the numerator in the candidate's average score.

Type *NiceDict*

gross_scores_as_floats_

Gross scores as floats. It is the same as gross_scores_, but converted to floats.

Type NiceDict

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type *NiceDict*

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

weights_

The weights used for the candidates. For each candidate, this dictionary gives the total weight for this candidate, i.e. the total weight of all voters who assign a score to this candidate. This is the denominator in the candidate's average score.

Type NiceDict

weights_as_floats_

Weights as floats. It is the same as weights_, but converted to floats.

Type NiceDict

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.7.8 RuleSequentialElimination

None, *propagate_tie_break=True*, ***kwargs*)

A rule by sequential elimination (such as *RuleTwoRound*).

Parameters

- args Cf. parent class.
- **rules** (*list of Rule*) A list of rules, one for each round. Unlike for *RuleIteratedElimination*, different rounds may use different voting rules.
- eliminations (list of Elimination) A list of elimination algorithms, one for each round except the last one.
- **propagate_tie_break** (*bool*) If True (default), then the tie-breaking rule of this object is also used for the base rules. Cf. *RuleIteratedElimination* for more explanation on this parameter.
- kwargs Cf. parent class.

Examples

```
>>> rule = RuleSequentialElimination(
... ['a > b > c > d > e', 'b > c > d > e > a'], weights=[2, 1],
... rules=[RuleBorda(), RulePlurality(), RulePlurality()],
... eliminations=[EliminationBelowAverage(), EliminationLast(k=1)])
>>> rule.elimination_rounds_[0].rule_.gross_scores_
{'a': 8, 'b': 10, 'c': 7, 'd': 4, 'e': 1}
>>> rule.elimination_rounds_[1].rule_.gross_scores_
{'a': 2, 'b': 1, 'c': 0}
>>> rule.final_round_.gross_scores_
{'a': 2, 'b': 1}
```

If rules is not a list, the number of rounds is inferred from eliminations. An application of this is to define the two-round system:

```
>>> rule = RuleSequentialElimination(
... ['a > b > c > d > e', 'b > a > c > d > e', 'c > a > b > d > e'],_

weights=[2, 2, 1],
... rules=RulePlurality(), eliminations=[EliminationLast(k=-2)])
>>> rule.elimination_rounds_[0].rule_.gross_scores_
{'a': 2, 'b': 2, 'c': 1, 'd': 0, 'e': 0}
>>> rule.final_round_.gross_scores_
{'a': 3, 'b': 2}
```

Note: there exists a shortcut for the above rule in particular, the class RuleTwoRound.

Similarly, if elimination is not a list, the number of rounds is deduced from rules:

```
>>> rule = RuleSequentialElimination(
... ['a > b > c > d > e', 'b > a > c > d > e'], weights=[2, 1],
... rules=[RuleBorda(), RuleBorda(), RulePlurality()],_
... eliminations=EliminationLast(k=1))
>>> rule.elimination_rounds_[0].rule_.gross_scores_
{'a': 11, 'b': 10, 'c': 6, 'd': 3, 'e': 0}
>>> rule.elimination_rounds_[1].rule_.gross_scores_
{'a': 8, 'b': 7, 'c': 3, 'd': 0}
>>> rule.final_round_.gross_scores_
{'a': 2, 'b': 1, 'c': 0}
```

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

elimination_rounds_

The elimination rounds. A list of Elimination objects. All rounds except the last one.

Type list

final_round_

The final round, which decides the winner of the election.

Type Rule

n_candidates_

Number of candidates.

Type int

rounds_

The rounds. All rounds but the last one are *Elimination* objects. The last one is a *Rule* object.

Examples

Note that in some cases, there may be fewer actual rounds than declared in the definition of the rule:

```
>>> rule = RuleSequentialElimination(
... ['a > b > c > d', 'a > c > d > b', 'a > d > b > c'],
... rules=[RuleBorda(), RulePlurality(), RulePlurality()],
... eliminations=[EliminationBelowAverage(), EliminationLast(k=1)])
>>> len(rule.rounds_)
2
>>> rule.elimination_rounds_[0].rule_.gross_scores_
{'a': 9, 'b': 3, 'c': 3, 'd': 3}
>>> rule.final_round_.gross_scores_
{'a': 3}
```

Type list

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.7.9 RuleSequentialTieBreak

```
class whalrus.RuleSequentialTieBreak(*args, rules: list = None, **kwargs)
```

A rule by sequential tie-break.

Parameters

- **args** Cf. parent class.
- rules (list of Rule) -
- **kwargs** Cf. parent class.

Examples

The winner is determined by the first rule. If there is a tie, it is broken by the second rule. Etc. There may still be a tie at the end: in that case, it is broken by the tie-breaking rule of this object.

```
>>> rule = RuleSequentialTieBreak(
        ['a > d > e > b > c', 'b > d > e > a > c', 'c > d > e > a > b',
. . .
         'd > e > b > a > c', 'e > d > b > a > c'],
. . .
        weights=[2, 2, 2, 1, 1],
. . .
        rules=[RulePlurality(), RuleBorda()], tie_break=Priority.ASCENDING)
. . .
>>> rule.rules_[0].gross_scores_
{'a': 2, 'b': 2, 'c': 2, 'd': 1, 'e': 1}
>>> rule.rules_[1].gross_scores_
{'a': 14, 'b': 14, 'c': 8, 'd': 25, 'e': 19}
>>> rule.order_
[{'a', 'b'}, {'c'}, {'d'}, {'e'}]
>>> rule.winner_
'a'
```

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

n_candidates_

Number of candidates.

Type int

rules_

The rules (once applied to the profile).

Type list

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.8 Rule: In Particular

5.8.1 RuleApproval

```
class whalrus.RuleApproval(*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot = None, **kwargs)
```

Approval voting.

Parameters

- args Cf. parent class.
- **converter**(ConverterBallot) **Default**: ConverterBallotToGrades(scale=ScaleRange(0, 1)). This is the only difference with the parent class *RuleRangeVoting*.
- kwargs Cf. parent class.

Examples

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as *average_score_*, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

 $\texttt{compare_scores} (\textit{one: numbers.Number, another: numbers.Number}) \rightarrow int$

Compare two scores.

Parameters

- **one** (*object*) A score.
- **another** (*object*) A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

gross_scores_

The gross scores of the candidates. For each candidate, this dictionary gives the sum of its scores, multiplied by the weights of the corresponding voters. This is the numerator in the candidate's average score.

Type NiceDict

gross_scores_as_floats_

Gross scores as floats. It is the same as gross_scores_, but converted to floats.

Type NiceDict

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

weights_

The weights used for the candidates. For each candidate, this dictionary gives the total weight for this candidate, i.e. the total weight of all voters who assign a score to this candidate. This is the denominator in the candidate's average score.

Type *NiceDict*

weights_as_floats_

Weights as floats. It is the same as weights_, but converted to floats.

Type *NiceDict*

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.8.2 RuleBaldwin

```
class whalrus.RuleBaldwin (*args, base_rule: whalrus.rules.rule.Rule = None, elimination: whalrus.elimination.elimination = None, **kwargs)
```

Baldwin's rule.

At each round, the candidate with the lowest Borda score is eliminated.

Parameters

- args Cf. parent class.
- base_rule (Rule) Default: RuleBorda.
- elimination (Elimination) Default: EliminationLast with k=1.
- **kwargs** Cf. parent class.

Examples

```
>>> rule = RuleBaldwin(['a > b > c', 'a > b ~ c'])
>>> rule.eliminations_[0].rule_.gross_scores_
{'a': 4, 'b': Fraction(3, 2), 'c': Fraction(1, 2)}
>>> rule.eliminations_[1].rule_.gross_scores_
{'a': 2, 'b': 0}
>>> rule.eliminations_[2].rule_.gross_scores_
{'a': 0}
>>> rule.winner_
'a'
```

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election.. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

eliminations_

The elimination rounds. A list of *Elimination* objects. The first one corresponds to the first round, etc.

Type list

n_candidates_

Number of candidates.

Type int

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.8.3 RuleBlack

class whalrus.**RuleBlack** (*args, rule_condorcet: whalrus.rules.rule.Rule = None, rule_borda: whalrus.rules.rules.rule.Rule = None, **kwargs)

Black's rule.

Parameters

- **args** Cf. parent class.
- **rule_condorcet** (Rule) Used as the main victory criterion. Default: *RuleCondorcet*.
- rule_borda (Rule) Used as the secondary victory criterion. Default: RuleBorda.
- kwargs Cf. parent class.

Examples

As a main victory criterion, the Condorcet winner is elected (even if it does not have the highest Borda score):

```
>>> rule = RuleBlack(ballots=['a > b > c', 'b > c > a'], weights=[3, 2])
>>> rule.rule_condorcet_.matrix_majority_.matrix_weighted_majority_.as_array_
array([[0, Fraction(3, 5), Fraction(3, 5)],
        [Fraction(2, 5), 0, 1],
        [Fraction(2, 5), 0, 0]], dtype=object)
>>> rule.order_
[{'a'}, {'b'}, {'c'}]
```

When there is no Condorcet winner, candidates are sorted according to their Borda scores:

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

n_candidates_

Number of candidates.

Type int

rule_borda_

The Borda rule (once applied to the profile).

Examples

```
>>> rule = RuleBlack(ballots=['a > b > c', 'b > c > a'], weights=[3, 2])
>>> rule.rule_borda_.scores_
{'a': Fraction(6, 5), 'b': Fraction(7, 5), 'c': Fraction(2, 5)}
```

Type Rule

rule_condorcet_

The Condorcet rule (once applied to the profile).

Examples

```
>>> rule = RuleBlack(ballots=['a > b > c', 'b > c > a'], weights=[3, 2])
>>> rule.rule_condorcet_.matrix_majority_.as_array_
array([[Fraction(1, 2), 1, 1],
       [0, Fraction(1, 2), 1],
       [0, 0, Fraction(1, 2)]], dtype=object)
```

Type Rule

rules_

The rules (once applied to the profile).

Type list

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.8.4 RuleBorda

```
class whalrus.RuleBorda (*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot
= None, scorer: whalrus.scorers.scorer = None, **kwargs)
```

The Borda rule.

Parameters

- **args** Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToOrder.
- **scorer** (Scorer) Default: ScorerBorda.
- kwargs Cf. parent class.

Examples

```
>>> rule = RuleBorda(['a ~ b > c', 'b > c > a'])
>>> rule.gross_scores_
{'a': Fraction(3, 2), 'b': Fraction(7, 2), 'c': 1}
>>> rule.scores_
{'a': Fraction(3, 4), 'b': Fraction(7, 4), 'c': Fraction(1, 2)}
```

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

 $\texttt{compare_scores} (\textit{one: numbers.Number, another: numbers.Number}) \rightarrow int$

Compare two scores.

Parameters

- one (object) A score.
- **another** (*object*) A score.
- **Returns** 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

gross_scores_

The gross scores of the candidates. For each candidate, this dictionary gives the sum of its scores, multiplied by the weights of the corresponding voters. This is the numerator in the candidate's average score.

Type *NiceDict*

gross_scores_as_floats_

Gross scores as floats. It is the same as gross_scores_, but converted to floats.

Type NiceDict

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

weights_

The weights used for the candidates. For each candidate, this dictionary gives the total weight for this candidate, i.e. the total weight of all voters who assign a score to this candidate. This is the denominator in the candidate's average score.

Type NiceDict

weights_as_floats_

Weights as floats. It is the same as weights_, but converted to floats.

Type NiceDict

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.8.5 RuleBucklinByRounds

class	whalrus.RuleBucklinByRounds	(*args,		converter:		whal-
		rus.converters_ballot.converter_ballot.Cor			erterBa	ıllot
		=	None,	scorer:		whal-
		rus.scorer	s.scorer_	bucklin.ScorerBucklin	=	None,
		**kwargs)			

Bucklin's rule (round by round version).

During the first round, a candidate's score is the proportion of voters who rank it first. During the second round, its score is the proportion of voters who rank it first or second. Etc. More precisely, at each round, the scorer is used with k equal to the round number; cf. *ScorerBucklin*.

For another variant of Bucklin's rule, cf. RuleBucklinInstant.

Parameters

- **args** Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToOrder.
- **scorer** (Scorer) **Default**: *ScorerBucklin*.
- kwargs Cf. parent class.

Examples

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int Compare two scores.

Parameters

• one (object) - A score.

• **another** (*object*) – A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

detailed_scores_

Detailed scores. A list of NiceDict. The first dictionary gives the scores of the first round, etc.

Type list

detailed_scores_as_floats_

Detailed scores, as floats. It is the same as detailed_scores_, but converted to floats.

Examples

Type list

n_candidates_

Number of candidates.

Type int

n_rounds_

The number of rounds.

Type int

scores_

The scores. For each candidate, it gives its score during the final round, i.e. the first round where at least one candidate has a score above 1/2.

Type NiceDict

scores as floats

Scores as floats. It is the same as *scores_*, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.8.6 RuleBucklinInstant

```
class whalrus.RuleBucklinInstant (*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot
= None, scorer: whalrus.scorers.scorer=None, de-
fault median: object = 0, **kwargs)
```

Bucklin's rule (instant version).

For each candidate, its median Borda score m is computed. Let x be the number of voters who give this candidate a Borda score that is greater or equal to m. Then the candidate's score is (m, x). Scores are compared lexicographically.

When preferences are strict orders, it is equivalent to say that:

- The candidate with the lowest median rank is declared the winner.
- If several candidates have the lowest median rank, this tie is broken by examining how many voters rank each of them with this rank or better.

For another variant of Bucklin's rule, cf. RuleBucklinByRounds.

Parameters

- args Cf. parent class.
- **converter** (ConverterBallot) **Default**: ConverterBallotToOrder.
- **scorer** (Scorer) **Default**: *ScorerBorda* with absent_give_points=True, absent_receive_points=None, unordered_give_points=True, unordered_receive_points=False.
- **default_median** (*object*) The default median of a candidate when it receives no score whatsoever.
- kwargs Cf. parent class.

Examples

```
>>> rule = RuleBucklinInstant(ballots=['a > b > c', 'b > a > c', 'c > a > b'])
>>> rule.scores_
{'a': (1, 3), 'b': (1, 2), 'c': (0, 3)}
>>> rule.winner_
'a'
```

With the default settings, and when preferences are strict total orders, *RuleBucklinByRounds* and *RuleBucklinInstant* have the same winner (although not necessarily the same order over the candidates). Otherwise, the winners may differ:

```
>>> profile = Profile(ballots=['a > b > c > d', 'b > a ~ d > c', 'c > a ~ d > b'],
                      weights=[3, 3, 4])
. . .
>>> rule_bucklin_by_rounds = RuleBucklinByRounds(profile)
>>> rule_bucklin_by_rounds.detailed_scores_[0]
{'a': Fraction(3, 10), 'b': Fraction(3, 10), 'c': Fraction(2, 5), 'd': 0}
>>> rule_bucklin_by_rounds.detailed_scores_[1]
{'a': Fraction(13, 20), 'b': Fraction(3, 5), 'c': Fraction(2, 5), 'd': Fraction(7,
→ 20) }
>>> rule_bucklin_by_rounds.winner_
'a'
>>> rule_bucklin_instant = RuleBucklinInstant(profile)
>>> rule_bucklin_instant.scores_
{'a': (Fraction(3, 2), 10), 'b': (2, 6), 'c': (1, 7), 'd': (Fraction(3, 2), 7)}
>>> RuleBucklinInstant(profile).winner_
'b'
```

best_score_

The best score.

Type object

 $\texttt{compare_scores} (\textit{one: tuple, another: tuple}) \rightarrow \text{int}$

Compare two scores.

Parameters

- one (object) A score.
- another (object) A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

n_candidates_

Number of candidates.

Type int

order_

Result of the election as a (weak) order over the candidates. It is a list of NiceSet. The first set contains the candidates that have the best score, the second set contains those with the second best score, etc.

Type list

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Examples

```
>>> rule = RuleBucklinInstant(ballots=['a > b > c', 'b > a > c', 'c > a > b'])
>>> rule.scores_as_floats_
{'a': (1.0, 3.0), 'b': (1.0, 2.0), 'c': (0.0, 3.0)}
```

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_

The worst score.

Type object

5.8.7 RuleCondorcet

```
class whalrus.RuleCondorcet (*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot
= None, matrix_majority: whalrus.matrices.matrix.Matrix = None,
**kwargs)
```

Condorcet Rule.

Parameters

- args Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToOrder.
- matrix_majority (Matrix) The majority matrix. Default: MatrixMajority.
- **kwargs** Cf. parent class.

Examples

If there is a Condorcet winner, then it it the winner and all other candidates are tied. If there is no Condorcet winner, then all candidates are tied.

```
>>> RuleCondorcet(ballots=['a > b > c', 'b > a > c', 'c > a > b']).order_
[{'a'}, {'b', 'c'}]
>>> RuleCondorcet(ballots=['a > b > c', 'b > c > a', 'c > a > b']).order_
[{'a', 'b', 'c'}]
```

More precisely, and in all generality, a candidate is considered a *Condorcet winner* if all the non-diagonal coefficients on its raw of *matrix_majority_* are equal to 1. With the default setting of *matrix_majority* = MatrixMajority(), the Condorcet winner is necessarily unique when it exists, but that might not be the case with some more exotic settings:

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

matrix_majority_

The majority matrix (once computed with the given profile).

Type *Matrix*

n_candidates_

Number of candidates.

Type int

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.8.8 RuleCoombs

```
class whalrus.RuleCoombs (*args, base_rule: whalrus.rules.rule.Rule = None, elimination: whal-
rus.eliminations.elimination.Elimination = None, **kwargs)
```

Coombs' rule.

Parameters

- args Cf. parent class.
- **base_rule** (Rule) **Default**: RuleVeto.
- elimination (Elimination) Default: EliminationLast with k=1.
- kwargs Cf. parent class.

Examples

At each round, the candidate with the worst Veto score is eliminated.

```
>>> rule = RuleCoombs(['a > b > c', 'b > a > c', 'c > a > b'], weights=[2, 3, 4])
>>> rule.eliminations_[0].rule_.gross_scores_
{'a': 0, 'b': -4, 'c': -5}
>>> rule.eliminations_[1].rule_.gross_scores_
{'a': -3, 'b': -6}
>>> rule.eliminations_[2].rule_.gross_scores_
{'a': -9}
>>> rule.winner_
'a'
```

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election.. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

eliminations_

The elimination rounds. A list of *Elimination* objects. The first one corresponds to the first round, etc.

Type list

n_candidates_

Number of candidates.

Type int

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.8.9 RuleCopeland

```
class whalrus.RuleCopeland(*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot
= None, matrix: whalrus.matrices.matrix.Matrix = None, **kwargs)
```

Copeland's rule.

Parameters

- args Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToOrder.
- **matrix** (Matrix) **Default**: *MatrixMajority*.
- kwargs Cf. parent class.

Examples

The score of a candidate is the number of victories in the majority matrix.

```
>>> rule = RuleCopeland(ballots=['a > b > c', 'b > a > c', 'c > a > b'])
>>> rule.matrix_.as_array_
array([[Fraction(1, 2), 1, 1],
       [0, Fraction(1, 2), 1],
       [0, 0, Fraction(1, 2)]], dtype=object)
>>> rule.scores_
{'a': 2, 'b': 1, 'c': 0}
```

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int

Compare two scores.

Parameters

- one (object) A score.
- another (object) A score.
- **Returns** 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

matrix_

The matrix (once computed with the given profile).

Type Matrix

matrix_majority_

The majority matrix. This is an alias for *matrix*_.

Examples

```
>>> rule = RuleCopeland(ballots=['a > b > c', 'b > a > c', 'c > a > b'])
>>> rule.matrix_majority_.as_array_
array([[Fraction(1, 2), 1, 1],
       [0, Fraction(1, 2), 1],
       [0, 0, Fraction(1, 2)], dtype=object)
```

Type Matrix

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.8.10 RuleIRV

class whalrus.RuleIRV(*args, base_rule: whalrus.rules.rule.Rule = None, elimination: whalrus.eliminations.elimination.Elimination = None, **kwargs) Instant-Runoff Voting, also known as Alternative Vote, Single Transferable Vote, etc.

Parameters

- **args** Cf. parent class.
- **base_rule** (Rule) **Default**: *RulePlurality*.
- elimination (Elimination) Default: EliminationLast with k=1.
- kwargs Cf. parent class.

Examples

At each round, the candidate with the worst Plurality score is eliminated.

```
>>> rule = RuleIRV(['a > b > c', 'b > a > c', 'c > a > b'], weights=[2, 3, 4])
>>> rule.eliminations_[0].rule_.gross_scores_
{'a': 2, 'b': 3, 'c': 4}
>>> rule.eliminations_[1].rule_.gross_scores_
{'b': 5, 'c': 4}
>>> rule.eliminations_[2].rule_.gross_scores_
{'b': 9}
>>> rule.winner_
'b'
```

An example using the tie-break:

```
>>> rule = RuleIRV(['a > c > b', 'b > a > c', 'c > a > b'], weights=[1, 2, 1],
... tie_break=Priority.ASCENDING)
>>> rule.eliminations_[0].rule_.gross_scores_
{'a': 1, 'b': 2, 'c': 1}
>>> rule.eliminations_[1].rule_.gross_scores_
{'a': 2, 'b': 2}
>>> rule.eliminations_[2].rule_.gross_scores_
{'a': 4}
>>> rule.winner_
'a'
```

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

eliminations_

The elimination rounds. A list of *Elimination* objects. The first one corresponds to the first round, etc.

Type list

n_candidates_

Number of candidates.

Type int

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.8.11 RuleKApproval

class whalrus.**RuleKApproval** (*args, k: int = 1, **kwargs)

K-Approval

The k top candidates in a ballot receive 1 point, and the other candidates receive 0 point.

Parameters

- **args** Cf. parent class.
- **k** (*int*) The number of approved candidates.
- kwargs Cf. parent class.

Examples

>>> RuleKApproval(['a > b > c', 'b > c > a'], k=2).gross_scores_
{'a': 1, 'b': 2, 'c': 1}

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

 $compare_scores$ (one: numbers.Number, another: numbers.Number) \rightarrow int

Compare two scores.

Parameters

- **one** (*object*) A score.
- **another** (*object*) A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

gross_scores_

The gross scores of the candidates. For each candidate, this dictionary gives the sum of its scores, multiplied by the weights of the corresponding voters. This is the numerator in the candidate's average score.

Type NiceDict

gross_scores_as_floats_

Gross scores as floats. It is the same as gross_scores_, but converted to floats.

Type NiceDict

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

weights_

The weights used for the candidates. For each candidate, this dictionary gives the total weight for this candidate, i.e. the total weight of all voters who assign a score to this candidate. This is the denominator in the candidate's average score.

Type NiceDict

weights_as_floats_

Weights as floats. It is the same as weights_, but converted to floats.

Type NiceDict

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.8.12 RuleKimRoush

```
class whalrus.RuleKimRoush (*args, base_rule: whalrus.rules.rule.Rule = None, elimination: whal-
rus.eliminations.elimination.Elimination = None, **kwargs)
```

Kim-Roush rule.

At each round, all candidates whose Veto score is lower than the average Veto score are eliminated.

Parameters

- args Cf. parent class.
- **base_rule** (Rule) Default: RuleVeto.
- elimination (Elimination) Default: EliminationBelowAverage.
- kwargs Cf. parent class.

Examples

```
>>> rule = RuleKimRoush(['a > b > c > d', 'a > b > d > c'])
>>> rule.eliminations_[0].rule_.gross_scores_
{'a': 0, 'b': 0, 'c': -1, 'd': -1}
>>> rule.eliminations_[1].rule_.gross_scores_
{'a': 0, 'b': -2}
>>> rule.eliminations_[2].rule_.gross_scores_
{'a': -2}
>>> rule.winner_
'a'
```

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

eliminations_

The elimination rounds. A list of *Elimination* objects. The first one corresponds to the first round, etc.

Type list

n_candidates_

Number of candidates.

Type int

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.8.13 RuleMajorityJudgment

```
class whalrus.RuleMajorityJudgment (*args, converter: whal-
rus.converters_ballot.converter_ballot.ConverterBallot
= None, scorer: whalrus.scorers.scorer.Scorer = None,
scale: whalrus.scales.scale.Scale = None, default_median:
object = None, **kwargs)
```

Majority Judgment.

Parameters

- **args** Cf. parent class.
- **converter** (ConverterBallot) **Default**: *ConverterBallotToLevels*, with scale=scorer.scale.
- **scorer** (Scorer) Default: *ScorerLevels*. Alternatively, you may provide an argument scale. In that case, the scorer will be ScorerLevels (scale).
- **default_median** (*object*) The median level that a candidate has when it receives absolutely no evaluation whatsoever.
- kwargs Cf. parent class.

Examples

For each candidate, its median evaluation *m* is computed. When a candidate has two medians (like candidate *b* in the above example, with .4 and .6), the lower value is considered. Let *p* (resp. *q*) denote the proportion of the voters who evaluate the candidate better (resp. worse) than its median. The score of the candidate is the tuple (m, p, -q) if p > q, and (m, -q, p) otherwise. Scores are compared lexicographically.

For Majority Judgment, verbal evaluation are generally used. The following example is actually the same as above, but with verbal evaluations instead of grades:

```
>>> rule = RuleMajorityJudgment([
... {'a': 'Excellent', 'b': 'Excellent'}, {'a': 'Good', 'b': 'Very Good'},
... {'a': 'Good', 'b': 'Acceptable'}, {'a': 'Poor', 'b': 'To Reject'}
... ], scale=ScaleFromList(['To Reject', 'Poor', 'Acceptable', 'Good', 'Very Good
... 'Excellent']))
>>> rule.scores_as_floats_
{'a': ('Good', -0.25, 0.25), 'b': ('Acceptable', 0.5, -0.25)}
>>> rule.winner_
'a'
```

By changing the scorer, you may define a very different rule. The following one rewards the candidate with best median Borda score (with secondary criteria that are similar to Majority Judgment, i.e. the proportions of voters who give a candidate more / less than its median Borda score):

```
>>> from whalrus.scorers.scorer_borda import ScorerBorda
>>> from whalrus.converters_ballot.converter_ballot_to_order import_

GonverterBallotToOrder
>>> rule = RuleMajorityJudgment(scorer=ScorerBorda(),_
Gonverter=ConverterBallotToOrder())
>>> rule(['a > b ~ c > d', 'c > a > b > d']).scores_as_floats_
{'a': (2.0, 0.5, 0.0), 'b': (1.0, 0.5, 0.0), 'c': (1.5, 0.5, 0.0), 'd': (0.0, 0.0,
Gonverter_'a'
```

best_score_

The best score.

Type object

compare_scores (*one: tuple, another: tuple*) \rightarrow int Compare two scores.

Parameters

- one (object) A score.
- another (object) A score.
- **Returns** 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

n_candidates_

Number of candidates.

Type int

order_

Result of the election as a (weak) order over the candidates. It is a list of NiceSet. The first set contains the candidates that have the best score, the second set contains those with the second best score, etc.

Type list

scores_

The scores. A NiceDict of triples.

Type NiceDict

scores_as_floats_

Scores as floats. It is the same as *scores_*, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_

The worst score.

Type object

5.8.14 RuleMaximin

class whalrus.RuleMaximin (*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot = None, matrix_weighted_majority: whalrus.matrices.matrix.Matrix = None, **kwargs)

Maximin rule. Also known as Simpson-Kramer rule.

The score of a candidate is the minimal non-diagonal coefficient on its raw of the matrix.

Parameters

- args Cf. parent class.
- **converter** (ConverterBallot) **Default**: ConverterBallotToOrder.
- matrix_weighted_majority (Matrix) Default: MatrixWeightedMajority.
- kwargs Cf. parent class.

Examples

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as *average_score_*, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int Compare two scores.

Parameters

• one (object) - A score.

• **another** (*object*) – A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

matrix_weighted_majority_

The weighted majority matrix (once computed with the given profile).

Type *Matrix*

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

```
worst_score_as_float_
```

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.8.15 RuleNanson

```
class whalrus.RuleNanson(*args, base_rule: whalrus.rules.rule.Rule = None, elimination: whal-
rus.eliminations.elimination.Elimination = None, **kwargs)
```

Nanson's rule.

At each round, all candidates whose Borda score is lower than the average Borda score are eliminated.

Parameters

- args Cf. parent class.
- **base_rule** (Rule) **Default**: RuleBorda.
- elimination (Elimination) Default: EliminationBelowAverage.
- **kwargs** Cf. parent class.

Examples

```
>>> rule = RuleNanson(['a > b > c > d', 'a > b > d > c'])
>>> rule.eliminations_[0].rule_.gross_scores_
{'a': 6, 'b': 4, 'c': 1, 'd': 1}
>>> rule.eliminations_[1].rule_.gross_scores_
{'a': 2, 'b': 0}
>>> rule.eliminations_[2].rule_.gross_scores_
{'a': 0}
>>> rule.winner_
'a'
```

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election.. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

eliminations_

The elimination rounds. A list of *Elimination* objects. The first one corresponds to the first round, etc.

Type list

n_candidates_

Number of candidates.

Type int

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.8.16 RulePlurality

class whalrus.**RulePlurality** (*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot = None, scorer: whalrus.scorers.scorer=None, **kwargs)

The plurality rule.

Parameters

- args Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToPlurality.
- **scorer** (Scorer) **Default**: *ScorerPlurality*.
- **kwargs** Cf. parent class.

Examples

In the most general syntax, firstly, you define the rule:

>>> plurality = RulePlurality(tie_break=Priority.ASCENDING)

Secondly, you use it as a callable to load a particular election (profile, candidates):

Finally, you can access the computed variables:

```
>>> plurality.gross_scores_
{'a': 2, 'b': 2, 'c': 1, 'd': 0}
>>> plurality.winner_
'a'
```

Later, if you wish, you can load another profile with the same voting rule, and so on.

Optionally, you can specify an election (profile and candidates) as soon as the *Rule* object is initialized. This allows for one-liners such as:

```
>>> RulePlurality(['a', 'a', 'b', 'c']).winner_
'a'
```

Cf. Rule for more information about the arguments.

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as *average_score_*, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int Compare two scores.

Parameters

- one (object) A score.
- **another** (*object*) A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

gross_scores_as_floats_

Gross scores as floats. It is the same as gross_scores_, but converted to floats.

Type NiceDict

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

weights_as_floats_

Weights as floats. It is the same as weights_, but converted to floats.

Type NiceDict

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.8.17 RuleRangeVoting

class whalrus.RuleRangeVoting(*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot = None, scorer: whalrus.scorers.scorer = None,

**kwargs)

Range voting.

Parameters

- args Cf. parent class.
- **converter** (ConverterBallot) **Default**: ConverterBallotToGrades.
- scorer (Scorer) Default: ScorerLevels.
- **kwargs** Cf. parent class.

Examples

Typical usage:

The following examples use the ballot converter:

```
>>> RuleRangeVoting(['a > b > c']).profile_converted_[0].as_dict
{'a': 1, 'b': Fraction(1, 2), 'c': 0}
>>> RuleRangeVoting(
... ['a > b > c'], converter=ConverterBallotToGrades(scale=ScaleRange(0, 10))
... ).profile_converted_[0].as_dict
{'a': 10, 'b': 5, 'c': 0}
```

To examine the effect of the options, let us examine:

```
>>> b1 = BallotLevels({'a': 8, 'b': 10}, candidates={'a', 'b'})
>>> b2 = BallotLevels({'a': 6, 'c': 10}, candidates={'a', 'b', 'c'})
```

In ballot b1, candidate c is absent, which means that the candidate was not even available when the voter cast her ballot. In ballot b2, candidate b is ungraded: it was available, but the voter decided not to give it a grade. By the way, we will also introduce a candidate d who receives no evaluation at all. Here are several possible settings for the voting rule, along with their consequences:

```
>>> RuleRangeVoting([b1, b2], candidates={'a', 'b', 'c', 'd'}).scores_
{'a': 7, 'b': 10, 'c': 10, 'd': 0}
>>> RuleRangeVoting([b1, b2], candidates={'a', 'b', 'c', 'd'}, default_average=5).
$\interset{'a': 7, 'b': 10, 'c': 10, 'd': 5}
>>> RuleRangeVoting([b1, b2], candidates={'a', 'b', 'c', 'd'},
... scorer=ScorerLevels(level_ungraded=0)).scores_
{'a': 7, 'b': 5, 'c': 10, 'd': 0}
>>> RuleRangeVoting([b1, b2], candidates={'a', 'b', 'c', 'd'},
... scorer=ScorerLevels(level_ungraded=0, level_absent=0)).scores_
{'a': 7, 'b': 5, 'c': 5, 'd': 0}
```

For more information, cf. *ScorerLevels*.

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int

Compare two scores.

Parameters

- **one** (*object*) A score.
- another (object) A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

gross_scores_

The gross scores of the candidates. For each candidate, this dictionary gives the sum of its scores, multiplied by the weights of the corresponding voters. This is the numerator in the candidate's average score.

Type NiceDict
gross_scores_as_floats_

Gross scores as floats. It is the same as gross_scores_, but converted to floats.

Type NiceDict

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

weights_

The weights used for the candidates. For each candidate, this dictionary gives the total weight for this candidate, i.e. the total weight of all voters who assign a score to this candidate. This is the denominator in the candidate's average score.

Type NiceDict

weights_as_floats_

Weights as floats. It is the same as weights_, but converted to floats.

Type NiceDict

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.8.18 RuleRankedPairs

Ranked Pairs rule.

The score of a candidate is the number of victories in the ranked pairs matrix.

- args Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToOrder.

- matrix (Matrix) Default: MatrixRankedPairs (tie_break=tie_break).
- kwargs Cf. parent class.

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int

Compare two scores.

Parameters

- one (object) A score.
- **another** (*object*) A score.
- **Returns** 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

matrix_

The matrix (once computed with the given profile).

Type Matrix

matrix_ranked_pairs_

The ranked pairs matrix. Alias for *matrix*_.

Type Matrix

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.8.19 RuleSchulze

Schulze's Rule.

A candidate is a Schulze winner if it has no defeat in the Schulze matrix.

- args Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToOrder.
- matrix_schulze (Matrix) The Schulze matrix. Default: MatrixSchulze.

• kwargs – Cf. parent class.

Examples

```
>>> rule = RuleSchulze(['a > b > c', 'b > c > a', 'c > a > b'], weights=[4, 3, 2])
>>> rule.matrix_schulze_.as_array_
array([[0, Fraction(2, 3), Fraction(2, 3)],
        [Fraction(5, 9), 0, Fraction(7, 9)],
        [Fraction(5, 9), Fraction(5, 9), 0]], dtype=object)
>>> rule.winner_
'a'
```

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election.. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

matrix_schulze_

The Schulze matrix (once computed with the given profile).

Type *Matrix*

n_candidates_

Number of candidates.

Type int

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.8.20 RuleSimplifiedDodgson

class	whalrus.RuleSimplifiedDodgson	(*args,	converter:	whal-
		rus.converters	_ballot.converter_ballot.ConverterB	allot
		= None,	matrix_weighted_majority:	whal-
		rus.matrices.m	atrix.Matrix = None, **kwargs)	
n .				

Simplified Dodgson rule.

The score of a candidate is the sum of the negative non-diagonal coefficient on its raw of matrix_weighted_majority_.

Parameters

- **args** Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToOrder.
- matrix_weighted_majority (Matrix) Default: MatrixWeightedMajority with antisymmetric=True.
- **kwargs** Cf. parent class.

Examples

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as *average_score_*, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

 $\texttt{compare_scores} (\textit{one: numbers.Number, another: numbers.Number}) \rightarrow int$

Compare two scores.

Parameters

- one (object) A score.
- **another** (*object*) A score.
- **Returns** 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

matrix_weighted_majority_

The weighted majority matrix (once computed with the given profile).

Type Matrix

n_candidates_

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.8.21 RuleTwoRound

The two-round system.

- args Cf. parent class.
- **rule1** The first rule. Default: *RulePlurality*.
- **rule2** The second rule. Default: RulePlurality.
- **elimination** (Elimination) The elimination algorithm used during the first round. Default: *EliminationLast* with k=-2, which only keeps the 2 best candidates.
- **kwargs** Cf. parent class.

With its default settings, this class implements the classic two-round system, using plurality at both rounds:

Using the options, some more exotic two-round systems can be defined, such as changing the rule of a round:

... or changing the elimination algorithm:

cotrailers_

"Cotrailers" of the election, i.e. the candidates that fare worst in the election. This is the last equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the worst score.

Type NiceSet

cowinners_

Cowinners of the election, i.e. the candidates that fare best in the election. This is the first equivalence class in order_. For example, in *RuleScoreNum*, it is the candidates that are tied for the best score.

Type NiceSet

elimination_rounds_

The elimination rounds. A list of *Elimination* objects. All rounds except the last one.

Type list

final_round_

The final round, which decides the winner of the election.

Type Rule

first_round_

The first round. This is just a shortcut for self.elimination_rounds_[0].

Type Elimination

n_candidates_

Number of candidates.

Type int

rounds_

The rounds. All rounds but the last one are Elimination objects. The last one is a Rule object.

Examples

Note that in some cases, there may be fewer actual rounds than declared in the definition of the rule:

```
>>> rule = RuleSequentialElimination(
... ['a > b > c > d', 'a > c > d > b', 'a > d > b > c'],
... rules=[RuleBorda(), RulePlurality(), RulePlurality()],
... eliminations=[EliminationBelowAverage(), EliminationLast(k=1)])
>>> len(rule.rounds_)
2
>>> rule.elimination_rounds_[0].rule_.gross_scores_
{'a': 9, 'b': 3, 'c': 3, 'd': 3}
>>> rule.final_round_.gross_scores_
{'a': 3}
```

Type list

second_round_

The second round. This is just an alternative name for self.final_round_.

Type Rule

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

5.8.22 RuleVeto

class whalrus.**RuleVeto**(*args, converter: whalrus.converters_ballot.converter_ballot.ConverterBallot = None, scorer: whalrus.scorers.scorer=None, **kwargs)

The veto rule.

- args Cf. parent class.
- converter (ConverterBallot) Default: ConverterBallotToVeto.
- **scorer** (Scorer) **Default**: *ScorerVeto*.
- **kwargs** Cf. parent class.

```
>>> RuleVeto(['a', 'b', 'b', 'c', 'c']).winner_
'a'
```

average_score_

The average score.

Type Number

average_score_as_float_

The average score as a float. It is the same as average_score_, but converted to a float.

Type float

best_score_as_float_

The best score as a float. It is the same as *RuleScore.best_score_*, but converted to a float.

Type float

compare_scores (*one: numbers.Number, another: numbers.Number*) \rightarrow int Compare two scores.

Parameters

- one (object) A score.
- another (object) A score.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

cotrailers_

"Cotrailers". The set of candidates with the worst score.

Type NiceSet

cowinners_

Cowinners. The set of candidates with the best score.

Type NiceSet

gross_scores_as_floats_

Gross scores as floats. It is the same as gross_scores_, but converted to floats.

Type NiceDict

n candidates

Number of candidates.

Type int

scores_as_floats_

Scores as floats. It is the same as scores_, but converted to floats.

Type NiceDict

strict_order_

Result of the election as a strict order over the candidates. The first element is the winner, etc. This may use the tie-breaking rule.

Type list

trailer_

The "trailer" of the election. This is the last candidate in *strict_order_* and also the unfavorable choice of the tie-breaking rule in *cotrailers_*.

Type object

weights_as_floats_

Weights as floats. It is the same as weights_, but converted to floats.

Type NiceDict

winner_

The winner of the election. This is the first candidate in *strict_order_* and also the choice of the tie-breaking rule in *cowinners_*.

Type object

worst_score_as_float_

The worst score as a float. It is the same as *RuleScore.worst_score_*, but converted to a float.

Type float

5.9 Scale

5.9.1 Scale

class whalrus.Scale

A scale used to evaluate the candidates (for RuleRangeVoting, RuleMajorityJudgment, etc).

This parent class represents a generic scale, where two levels of the scale compare according to their internal methods __lt__, __le__, etc.

For a subclass, it is sufficient to override the method lt () and the other comparison methods will be modified accordingly (assuming it describes a total order).

Examples

```
>>> scale = Scale()
>>> scale.lt(1, 7)
True
```

argsort (*some_list: list, reverse: bool* = False) \rightarrow list "Argsort" a list of levels.

Parameters

- **some_list** (*list*) A list of levels.
- **reverse** (*bool*) If True, then argsort in decreasing order.

Returns A list of indexes.

Return type list

```
>>> Scale().argsort(['a', 'c', 'b'])
[0, 2, 1]
```

 $\texttt{compare}(\textit{one: object, another: object}) \rightarrow \text{int}$

Compare two levels.

Parameters

- one (object) A level.
- **another** (*object*) A level.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

Examples

```
>>> Scale().compare('a', 'z')
-1
```

eq (one: object, another: object) \rightarrow bool Test "equal". Cf. lt ().

- **ge** (*one: object, another: object*) \rightarrow bool Test "greater or equal". Cf. 1t ().
- gt (one: object, another: object) \rightarrow bool Test "greater than". Cf. 1t ().

high

The highest element of the scale (or None if the scale is unbounded above).

Type object

```
le (one: object, another: object) \rightarrow bool
Test "lower or equal". Cf. lt ().
```

low

The lowest element of the scale (or None if the scale is unbounded below).

Type object

lt (*one: object, another: object*) \rightarrow bool Test "lower than".

Generally, only this method is overridden in the subclasses.

Parameters

- **one** (*object*) A level of the scale.
- another (object) A level of the scale.

Returns True iff one is lower than another.

Return type bool

```
>>> Scale().lt('a', 'z')
True
```

max (*iterable*: *Iterable*[T_co]) \rightarrow object

Maximum of some levels.

Parameters iterable (Iterable) - An iterable of levels (list, set, etc).

Examples

```
>>> Scale().max({4, 1, 12})
12
```

min (*iterable: Iterable*[T_co]) \rightarrow object Minimum of some levels.

Parameters iterable (Iterable) - An iterable of levels (list, set, etc).

Examples

```
>>> Scale().min({'x', 'a', 'z'})
'a'
```

ne (*one: object, another: object*) \rightarrow bool Test "not equal". Cf. *lt()*.

```
sort (some_list: list, reverse: bool = False) \rightarrow None Sort a list of levels (in place).
```

Parameters

- **some_list** (*list*) A list of levels.
- **reverse** (*bool*) If True, then sort in decreasing order.

Examples

```
>>> some_list = [42, 3, 12]
>>> Scale().sort(some_list)
>>> some_list
[3, 12, 42]
```

5.9.2 ScaleFromList

```
class whalrus.ScaleFromList (levels: list)
Scale derived from a list.
```

Parameters levels (*list*) – The list of levels, from the worst to the best.

```
argsort (some_list: list, reverse: bool = False) \rightarrow list
```

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.argsort(['Good', 'Bad', 'Excellent'])
[1, 0, 2]
```

compare (*one: object, another: object*) \rightarrow int Compare two levels.

Parameters

- one (object) A level.
- another (object) A level.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

Examples

```
>>> Scale().compare('a', 'z')
-1
```

- eq (one: object, another: object) \rightarrow bool Test "equal". Cf. 1t ().
- **ge** (*one: object, another: object*) \rightarrow bool Test "greater or equal". Cf. *lt* ().
- gt (one: object, another: object) \rightarrow bool Test "greater than". Cf. 1t ().

high

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.high
'Excellent'
```

le (*one: object, another: object*) \rightarrow bool Test "lower or equal". Cf. *lt* ().

low

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.low
'Bad'
```

lt (*one: object, another: object*) \rightarrow bool

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.lt('Medium', 'Excellent')
True
```

max (*iterable: Iterable*[T_co]) \rightarrow object

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.max(['Good', 'Bad', 'Excellent'])
'Excellent'
```

min (*iterable: Iterable*[T_co]) \rightarrow object

Examples

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.min(['Good', 'Bad', 'Excellent'])
'Bad'
```

 $\textbf{ne} (\textit{one: object, another: object}) \rightarrow bool$

Test "not equal". Cf. 1t ().

sort (*some_list: list, reverse: bool* = *False*) \rightarrow None

Examples

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> some_list = ['Good', 'Bad', 'Excellent']
>>> scale.sort(some_list)
>>> some_list
['Bad', 'Good', 'Excellent']
```

5.9.3 ScaleFromSet

```
class whalrus.ScaleFromSet(levels: set)
```

Scale derived from a set.

Parameters levels (*set*) – A set of comparable objects. It is recommended that they are also hashable.

Examples

Typical usage:

>>> scale = ScaleFromSet({-1, 0, 2})

A more complex example:

```
>>> class Appreciation:
        VALUES = {'Excellent': 2, 'Good': 1, 'Medium': 0}
• • •
        def __init__(self, x):
. . .
             self.x = x
. . .
        def __repr__(self):
. . .
            return 'Appreciation(%r)' % self.x
. . .
        def __hash__(self):
•••
            return hash(self.x)
. . .
        def __lt__(self, other):
. . .
```

(continues on next page)

(continued from previous page)

argsort (*some_list: list, reverse: bool* = *False*) \rightarrow list

Examples

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.argsort(['Good', 'Bad', 'Excellent'])
[1, 0, 2]
```

compare (one: object, another: object) \rightarrow int

Compare two levels.

Parameters

- one (object) A level.
- **another** (*object*) A level.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

Examples

```
>>> Scale().compare('a', 'z')
-1
```

- eq (one: object, another: object) \rightarrow bool Test "equal". Cf. lt ().
- **ge** (*one: object, another: object*) \rightarrow bool Test "greater or equal". Cf. 1t ().
- gt (one: object, another: object) \rightarrow bool Test "greater than". Cf. 1t ().

high

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.high
'Excellent'
```

le (*one: object, another: object*) \rightarrow bool Test "lower or equal". Cf. 1t (). low

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.low
'Bad'
```

lt (*one: object, another: object*) \rightarrow bool

Examples

```
>>> scale = ScaleFromSet({-1, 0, 2})
>>> scale.lt(0, 2)
True
```

max (*iterable: Iterable*[T_co]) \rightarrow object

Examples

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.max(['Good', 'Bad', 'Excellent'])
'Excellent'
```

min (*iterable: Iterable*[T_co]) \rightarrow object

Examples

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> scale.min(['Good', 'Bad', 'Excellent'])
'Bad'
```

ne (*one: object, another: object*) \rightarrow bool Test "not equal". Cf. *lt*().

sort (*some_list: list, reverse: bool* = *False*) \rightarrow None

Examples

```
>>> scale = ScaleFromList(['Bad', 'Medium', 'Good', 'Very good', 'Excellent'])
>>> some_list = ['Good', 'Bad', 'Excellent']
>>> scale.sort(some_list)
>>> some_list
['Bad', 'Good', 'Excellent']
```

5.9.4 ScaleInterval

```
class whalrus.ScaleInterval (low: numbers.Number = 0, high: numbers.Number = 1)
A scale given by a continuous interval of numbers.
```

Parameters

• low (Number) – Lowest grade.

• high (Number) – Highest grade.

Examples

```
>>> ScaleInterval(low=0, high=2.5)
ScaleInterval(low=0, high=Fraction(5, 2))
```

argsort (*some_list: list, reverse: bool* = *False*) \rightarrow list

Examples

```
>>> ScaleInterval(low=0, high=1).argsort([.3, .1, .7])
[1, 0, 2]
```

compare (one: object, another: object) \rightarrow int

Compare two levels.

Parameters

- one (object) A level.
- **another** (*object*) A level.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

Examples

```
>>> Scale().compare('a', 'z')
-1
```

```
eq (one: object, another: object) \rightarrow bool
Test "equal". Cf. 1t ().
```

ge (one: object, another: object) \rightarrow bool Test "greater or equal". Cf. lt ().

gt (one: object, another: object) \rightarrow bool Test "greater than". Cf. 1t ().

high

Examples

```
>>> ScaleInterval(low=0, high=1).high
1
```

le (*one: object, another: object*) \rightarrow bool Test "lower or equal". Cf. 1t ().

low

```
>>> ScaleInterval(low=0, high=1).low
0
```

lt (*one: object, another: object*) \rightarrow bool

Test "lower than".

Generally, only this method is overridden in the subclasses.

Parameters

- **one** (*object*) A level of the scale.
- **another** (*object*) A level of the scale.

Returns True iff one is lower than another.

Return type bool

Examples

```
>>> Scale().lt('a', 'z')
True
```

max (*iterable: Iterable*[T_co]) \rightarrow object

Examples

```
>>> ScaleInterval(low=0, high=1).max([.3, .1, .7])
0.7
```

min (*iterable: Iterable*[T_co]) \rightarrow object

Examples

```
>>> ScaleInterval(low=0, high=1).min([.3, .1, .7])
0.1
```

ne (*one: object, another: object*) \rightarrow bool Test "not equal". Cf. *lt*().

sort (*some_list: list, reverse: bool* = *False*) \rightarrow None

Examples

```
>>> some_list = [.3, .1, .7]
>>> ScaleInterval(low=0, high=1).sort(some_list)
>>> some_list
[0.1, 0.3, 0.7]
```

5.9.5 ScaleRange

```
class whalrus.ScaleRange(low: int, high: int)
```

A scale of consecutive integers.

Remark: for a scale of non-consecutive integers, such as {-1, 0, 2}, use the *ScaleFromSet*.

Parameters

- **low** (*int*) Lowest integer.
- **high** (*int*) Highest integer.

Examples

```
>>> scale = ScaleRange(low=0, high=5)
```

argsort (*some_list: list, reverse: bool* = *False*) \rightarrow list

Examples

```
>>> ScaleRange(low=0, high=5).argsort([3, 1, 4])
[1, 0, 2]
```

compare (*one: object, another: object*) \rightarrow int Compare two levels.

Parameters

- **one** (*object*) A level.
- **another** (*object*) A level.

Returns 0 if they are equal, a positive number if one is greater than another, a negative number otherwise.

Return type int

Examples

```
>>> Scale().compare('a', 'z')
-1
```

- eq (one: object, another: object) \rightarrow bool Test "equal". Cf. 1t ().
- ge (one: object, another: object) \rightarrow bool Test "greater or equal". Cf. lt ().
- gt (one: object, another: object) \rightarrow bool Test "greater than". Cf. 1t ().

high

```
>>> ScaleRange(low=0, high=5).high
5
```

```
le (one: object, another: object) \rightarrow bool
Test "lower or equal". Cf. 1t ().
```

low

Examples

```
>>> ScaleRange(low=0, high=5).low
0
```

lt (*one: object, another: object*) \rightarrow bool Test "lower than".

Generally, only this method is overridden in the subclasses.

Parameters

- **one** (*object*) A level of the scale.
- **another** (*object*) A level of the scale.

Returns True iff one is lower than another.

Return type bool

Examples

>>> Scale().lt('a', 'z')
True

max (*iterable: Iterable*[T_co]) \rightarrow object

Examples

```
>>> ScaleRange(low=0, high=5).max([3, 1, 4])
4
```

min (*iterable: Iterable*[T_co]) \rightarrow object

Examples

```
>>> ScaleRange(low=0, high=5).min([3, 1, 4])
1
```

```
ne (one: object, another: object) \rightarrow bool Test "not equal". Cf. lt ().
```

```
sort (some_list: list, reverse: bool = False) \rightarrow None
```

```
>>> some_list = [3, 1, 4]
>>> ScaleRange(low=0, high=5).sort(some_list)
>>> some_list
[1, 3, 4]
```

5.10 Scorer

5.10.1 Scorer

A *Scorer* is a callable whose inputs are a ballot, a voter and a set of candidates (the set of candidates of the election). When the scorer is called, it loads its arguments. The output of the call is the scorer itself. But after the call, you can access to the computed variables (ending with an underscore), such as *scores_*.

At the initialization of a *Scorer* object, some options can be given, such as a scale. In some subclasses, there can be some additional options.

Parameters

- **args** If present, these parameters will be passed to <u>call</u> immediately after initialization.
- **scale** (Scale) The scale in which scores are computed.
- **kwargs** If present, these parameters will be passed to <u>call</u> immediately after initialization.

ballot_

This attribute stores the ballot given in argument of the __call__.

Type Ballot

voter_

This attribute stores the voter given in argument of the __call__.

Type object

candidates_

This attribute stores the candidates given in argument of the __call__.

Type NiceSet

Examples

Cf. *ScorerLevels* for some examples.

scores_

The scores. To each candidate, this dictionary associates either a level in the scale or None. For the meaning of None, cf. *RuleRangeVoting* for example. Intuitively: a score of 0 means that the value 0 is counted in the average, whereas None is not counted at all (i.e. the weight of the voter is not even counted in the denominator when computing the average).

Type NiceDict

scores_as_floats_

The scores, given as floats. It is the same as *scores_*, but converted to floats.

Like all conversions to floats, it is advised to use this attribute for display purposes only. For computation, you should always use *scores_*, which usually manipulates fractions and therefore allows for exact computation.

Raises ValueError – If the scores cannot be converted to floats.

Type NiceDict

5.10.2 ScorerBorda

```
class whalrus.ScorerBorda (*args, absent_give_points: bool = True, absent_receive_points: Op-
tional[bool] = True, unordered_give_points: bool = True, un-
ordered_receive_points: Optional[bool] = True, **kwargs)
```

A Borda scorer for BallotOrder.

Parameters

- **args** Cf. parent class.
- **absent_give_points** (*bool*) Whether absent candidates give points to the other candidates.
- **absent_receive_points** (*bool or None*) Whether absent candidates receives points. Remark: 0 means that any absent candidate receives the score 0 (which will be counted in its average Borda score, median Borda score, etc); in contrast, None means that the absent candidate receives no score (hence this voter will be excluded from the computation of its average Borda score, median Borda score, etc).
- **unordered_give_points** (bool) Whether unordered candidates give points to the ordered candidates, i.e. they are considered as being in a lower position in the ranking.
- unordered_receive_points (bool or None) Whether unordered candidates receive points. Like for absent_receive_points, None means that an unordered candidate receives no score at all.
- kwargs Cf. parent class.

Examples

Typical usage:

In the example below, candidates a, b and c are "ordered", d and e are "unordered", and f and g are "absent" in the ballot, meaning that these candidates were not even available when the voter cast her ballot. The options allows for different ways to take these special cases into account:

```
>>> ballot = BallotOrder('a > b ~ c', candidates={'a', 'b', 'c', 'd', 'e'})
>>> candidates_election = {'a', 'b', 'c', 'd', 'e', 'f', 'g'}
>>> ScorerBorda(ballot, candidates=candidates_election).scores_as_floats_
{'a': 6.0, 'b': 4.5, 'c': 4.5, 'd': 2.5, 'e': 2.5, 'f': 0.5, 'g': 0.5}
>>> ScorerBorda(ballot, candidates=candidates_election,
... absent_receive_points=False).scores_as_floats_
```

(continues on next page)

(continued from previous page)

```
{'a': 6.0, 'b': 4.5, 'c': 4.5, 'd': 2.5, 'e': 2.5, 'f': 0.0, 'q': 0.0}
>>> ScorerBorda (ballot, candidates=candidates_election,
                absent_receive_points=False, absent_give_points=False).scores_as_
\rightarrow floats_
{'a': 4.0, 'b': 2.5, 'c': 2.5, 'd': 0.5, 'e': 0.5, 'f': 0.0, 'g': 0.0}
>>> ScorerBorda (ballot, candidates=candidates_election,
                absent_receive_points=False, absent_give_points=False,
. . .
                unordered_receive_points=False).scores_as_floats_
. . .
{'a': 4.0, 'b': 2.5, 'c': 2.5, 'd': 0.0, 'e': 0.0, 'f': 0.0, 'g': 0.0}
>>> ScorerBorda(ballot, candidates=candidates_election,
                absent_receive_points=False, absent_give_points=False,
. . .
                unordered_receive_points=False, unordered_give_points=False).
. . .
⇔scores_as_floats_
{'a': 2.0, 'b': 0.5, 'c': 0.5, 'd': 0.0, 'e': 0.0, 'f': 0.0, 'g': 0.0}
```

Usage of None in the options:

scores_as_floats_

The scores, given as floats. It is the same as scores_, but converted to floats.

Like all conversions to floats, it is advised to use this attribute for display purposes only. For computation, you should always use scores_, which usually manipulates fractions and therefore allows for exact computation.

Raises ValueError – If the scores cannot be converted to floats.

Type NiceDict

5.10.3 ScorerBucklin

class whalrus.**ScorerBucklin**(*args, k: int = 1, unordered_receive_points: Optional[bool] = True, absent_receive_points: Optional[bool] = True, **kwargs)

Scorer for Bucklin's rule.

Parameters

- **args** Cf. parent class.
- **k** (*int*) The number of points to distribute. Intuitively: the k candidates at the highest ranks will receive 1 point each. In case of tie, some points may be divided between the tied candidates (see below).
- unordered_receive_points (bool or None.) Whether unordered candidates should receive points (see below).
- **absent_receive_points** (*bool or None.*) Whether absent candidates should receive points (see below).
- kwargs Cf. parent class.

Examples

Typical usage:

```
>>> ScorerBucklin(BallotOrder('a > b > c > d > e'),
... candidates={'a', 'b', 'c', 'd', 'e'}, k=2).scores_
{'a': 1, 'b': 1, 'c': 0, 'd': 0, 'e': 0}
```

In the example below, candidates a, b and c are "ordered", d and e are "unordered", and f and g are "absent" in the ballot, meaning that they were not even available when the voter cast her ballot. By default, we count as if the unordered candidates were below the ordered candidates, and the absent candidates even lower:

```
>>> ballot = BallotOrder('a > b ~ c', candidates={'a', 'b', 'c', 'd', 'e'})
>>> candidates_election = {'a', 'b', 'c', 'd', 'e', 'f', 'g'}
>>> ScorerBucklin(ballot, candidates=candidates_election, k=2).scores_as_floats_
{'a': 1.0, 'b': 0.5, 'c': 0.5, 'd': 0.0, 'e': 0.0, 'f': 0.0, 'g': 0.0}
>>> ScorerBucklin(ballot, candidates=candidates_election, k=4).scores_as_floats_
{'a': 1.0, 'b': 1.0, 'c': 1.0, 'd': 0.5, 'e': 0.5, 'f': 0.0, 'g': 0.0}
>>> ScorerBucklin(ballot, candidates=candidates_election, k=6).scores_as_floats_
{'a': 1.0, 'b': 1.0, 'c': 1.0, 'd': 1.0, 'e': 1.0, 'f': 0.5, 'g': 0.5}
```

Using the options, unordered and/or absent candidates can always receive 0 point, or even not be mentioned in the score dictionary at all:

scores_as_floats_

The scores, given as floats. It is the same as scores_, but converted to floats.

Like all conversions to floats, it is advised to use this attribute for display purposes only. For computation, you should always use scores_, which usually manipulates fractions and therefore allows for exact computation.

Raises ValueError – If the scores cannot be converted to floats.

Type NiceDict

5.10.4 ScorerLevels

A standard scorer for :class:BallotLevel.

Parameters

- **args** Cf. parent class.
- **level_ungraded** (*object*) The level of the scale used for ungraded candidates, or None.
- **level_absent** (*object*) The level of the scale used for absent candidates, or None.
- kwargs Cf. parent class.

Examples

In the most general syntax, firstly, you define the scorer:

>>> scorer = ScorerLevels(level_absent=0)

Secondly, you use it as a callable to load some particular arguments:

```
>>> scorer(ballot=BallotLevels({'a': 10, 'b': 7, 'c': 3}), voter='Alice',
... candidates={'a', 'b', 'c', 'd'}) # doctest:+ELLIPSIS
<... object at ...>
```

Finally, you can access the computed variables:

>>> scorer.scores_
{'a': 10, 'b': 7, 'c': 3, 'd': 0}

Later, if you wish, you can load other arguments (ballot, etc) with the same scorer, and so on.

Optionally, you can specify arguments as soon as the *Scorer* object is initialized. This allows for "one-liners" such as:

In the example below, candidates a, b and c are "ordered", d is "unordered", and e is "absent" in the ballot, meaning that e were not even available when the voter cast her ballot. The options of the scorer provide different ways to take these special cases into account:

```
>>> ballot=BallotLevels({'a': 10, 'b': 7, 'c': 3}, candidates={'a', 'b', 'c', 'd'}
-->
>>> candidates_election = {'a', 'b', 'c', 'd', 'e'}
>>> ScorerLevels(ballot, candidates=candidates_election).scores_
{'a': 10, 'b': 7, 'c': 3}
>>> ScorerLevels(ballot, candidates=candidates_election,
... level_ungraded=-5).scores_
{'a': 10, 'b': 7, 'c': 3, 'd': -5}
>>> ScorerLevels(ballot, candidates=candidates_election,
... level_ungraded=-5, level_absent=-10).scores_
{'a': 10, 'b': 7, 'c': 3, 'd': -5, 'e': -10}
```

scores_as_floats_

The scores, given as floats. It is the same as scores_, but converted to floats.

Like all conversions to floats, it is advised to use this attribute for display purposes only. For computation, you should always use scores_, which usually manipulates fractions and therefore allows for exact computation.

Raises ValueError – If the scores cannot be converted to floats.

Type NiceDict

5.10.5 ScorerPlurality

```
class whalrus.ScorerPlurality (*args, count_abstention: bool = False, **kwargs)
A Plurality scorer for BallotPlurality.
```

- args Cf. parent class.
- **count_abstention** (*bool*) If False (default), then an abstention grants no score at all. If True, then an abstention gives 0 point to each candidate (cf. below).
- **kwargs** Cf. parent class.

Typical usage:

```
>>> ScorerPlurality(BallotPlurality('a'), candidates={'a', 'b', 'c'}).scores_
{'a': 1, 'b': 0, 'c': 0}
```

Using the option count_abstention:

```
>>> ScorerPlurality(BallotPlurality(None), candidates={'a', 'b', 'c'}).scores_
{}
>>> ScorerPlurality(BallotPlurality(None), candidates={'a', 'b', 'c'},
... count_abstention=True).scores_
{'a': 0, 'b': 0, 'c': 0}
```

scores_as_floats_

The scores, given as floats. It is the same as scores_, but converted to floats.

Like all conversions to floats, it is advised to use this attribute for display purposes only. For computation, you should always use scores_, which usually manipulates fractions and therefore allows for exact computation.

Raises ValueError – If the scores cannot be converted to floats.

Type NiceDict

5.10.6 ScorerPositional

```
class whalrus.ScorerPositional(*args, points_scheme: list = None, points_fill: Op-
tional[numbers.Number] = 0, points_unordered: Op-
tional[numbers.Number] = 0, points_absent: Op-
tional[numbers.Number] = None, **kwargs)
```

A positional scorer for strict order ballots.

Parameters

- **args** Cf. parent class.
- **points_scheme** (*list*) The list of points to be attributed to the (first) candidates of a ballot.
- **points_fill** (*Number or None*) Points for ordered candidates that have a rank beyond the points_scheme.
- points_unordered (Number or None) Points for the unordered candidates.
- points_absent (Number or None) Points for the absent candidates.
- kwargs Cf. parent class.

Examples

The top candidate in the ballot receives points_scheme[0] points, the second one receives points_scheme[1] points, etc:

The points scheme does not need to have the same length as the ballot:

A typical usage of this is k-Approval voting:

In the example below, candidates a, b and c are "ordered", d is "unordered", and e is "absent" in the ballot, meaning that e was not even available when the voter cast her ballot. The options of the scorer provide different ways to take these special cases into account:

scores_as_floats_

The scores, given as floats. It is the same as scores_, but converted to floats.

Like all conversions to floats, it is advised to use this attribute for display purposes only. For computation, you should always use scores_, which usually manipulates fractions and therefore allows for exact computation.

Raises ValueError – If the scores cannot be converted to floats.

Type NiceDict

5.10.7 ScorerVeto

```
class whalrus.ScorerVeto(*args, count_abstention: bool = False, **kwargs)
A Veto scorer for BallotVeto.
```

- **args** Cf. parent class.
- **count_abstention** (*bool*) If False (default), then an abstention grants no score at all. If True, then an abstention gives 0 point to each candidate (cf. below).
- kwargs Cf. parent class.

Typical usage:

```
>>> ScorerVeto(BallotVeto('a'), candidates={'a', 'b', 'c'}).scores_
{'a': -1, 'b': 0, 'c': 0}
```

Using the option count_abstention:

```
>>> ScorerVeto(BallotVeto(None), candidates={'a', 'b', 'c'}).scores_
{}
>>> ScorerVeto(BallotVeto(None), candidates={'a', 'b', 'c'},
... count_abstention=True).scores_
{'a': 0, 'b': 0, 'c': 0}
```

scores_as_floats_

The scores, given as floats. It is the same as scores_, but converted to floats.

Like all conversions to floats, it is advised to use this attribute for display purposes only. For computation, you should always use scores_, which usually manipulates fractions and therefore allows for exact computation.

Raises ValueError – If the scores cannot be converted to floats.

Type NiceDict

5.11 Util Module

class whalrus.utils.utils.**DeleteCacheMixin** Mixin used to delete cached properties.

Cf. decorator cached_property().

Examples

```
>>> class Example (DeleteCacheMixin):
       @cached_property
. . .
       def x(self):
. . .
            print('Big computation...')
. . .
            return 6 * 7
. . .
>>> a = Example()
>>> a.x
Big computation ...
42
>>> a.x
42
>>> a.delete_cache()
>>> a.x
Big computation ...
42
```

class whalrus.utils.utils.NiceDict

A dict that prints in the order of the keys (when they are comparable).

```
>>> my_dict = NiceDict({'b': 51, 'a': 42, 'c': 12})
>>> my_dict
{'a': 42, 'b': 51, 'c': 12}
```

class whalrus.utils.utils.NiceSet

A set that prints in order (when the elements are comparable).

Examples

```
>>> my_set = NiceSet({'b', 'a', 'c'})
>>> my_set
{'a', 'b', 'c'}
```

```
whalrus.utils.utils.cached_property(f)
```

Decorator used in replacement of @property to put the value in cache automatically.

The first time the attribute is used, it is computed on-demand and put in cache. Later accesses to the attributes will use the cached value.

Cf. DeleteCacheMixin for an example.

```
whalrus.utils.convert_number(x: numbers.Number)
```

Try to convert a number to a fraction (or an integer).

Parameters x (Number) -

Returns x, trying to convert it into a fraction (or an integer).

Return type Number

Examples

```
>>> convert_number(2.5)
Fraction(5, 2)
>>> convert_number(2.0)
2
```

whalrus.utils.dict_to_items (d: dict) \rightarrow list Convert a dict to a list of pairs (key, value).

Parameters d(dict)-

Returns The result is similar to d.items(), but if the keys are comparable, they appear in ascending order.

Return type list of pairs

Examples

```
>>> dict_to_items({'b': 2, 'c': 0, 'a': 1})
[('a', 1), ('b', 2), ('c', 0)]
```

```
whalrus.utils.utils.dict_to_str (d: dict) \rightarrow str Convert dict to string.
```

Parameters d(dict)-

Returns The result is similar to str(d), but if the keys are comparable, they appear in ascending order.

Return type str

Examples

```
>>> dict_to_str({'b': 2, 'c': 0, 'a': 1})
"{'a': 1, 'b': 2, 'c': 0}"
```

Division of two numbers, trying to be exact if it is reasonable.

Parameters

- **x**(Number)-
- y (Number) -
- **divide_by_zero** (*Number*) The value to be returned in case of division by zero. If None (default), then it raises a ZeroDivisionError.

Returns The division of *x* by *y*.

Return type Number

Examples

```
>>> my_division(5, 2)
Fraction(5, 2)
```

If *x* or *y* is a float, then the result is a float:

```
>>> my_division(Fraction(5, 2), 0.1)
25.0
>>> my_division(0.1, Fraction(5, 2))
0.04
```

If x and y are integers, decimals or fractions, then the result is a fraction:

```
>>> my_division(2, Fraction(5, 2))
Fraction(4, 5)
>>> my_division(Decimal('0.1'), Fraction(5, 2))
Fraction(1, 25)
```

You can specify a particular return value in case of division by zero:

```
>>> my_division(1, 0, divide_by_zero=42)
42
```

whalrus.utils.utils.**parse_weak_order** (s: str) \rightarrow list Convert a string representing a weak order to a list of sets.

Parameters s (str)-

Returns A list of sets, where each set is an indifference class. The first set of the list contains the top (= most liked) candidates, while the last set of the list contains the bottom (= most disliked) candidates.

Return type list

Examples

```
>>> s = 'Alice ~ Bob ~ Catherine32 > me > you ~ us > them'
>>> parse_weak_order(s) == [{'Alice', 'Bob', 'Catherine32'}, {'me'}, {'you', 'us'}
$\[\circ \, \text{'them'}]
True
```

whalrus.utils.utils.set_to_list(s: set) \rightarrow list

Convert a set to a list.

Parameters s (set) -

Returns The result is similar to list(s), but if the elements of the set are comparable, they appear in ascending order.

Return type list

Examples

```
>>> set_to_list({2, 42, 12})
[2, 12, 42]
```

```
whalrus.utils.utils.set_to_str(s: set) \rightarrow str
```

Convert a set to a string.

```
Parameters s(set) –
```

Returns The result is similar to str(s), but if the elements of the set are comparable, they appear in ascending order.

Return type str

Examples

```
>>> set_to_str({2, 42, 12})
'{2, 12, 42}'
```

whalrus.utils.take_closest(my_list, my_number)

In a list, take the closest element to a given number.

From https://stackoverflow.com/questions/12141150/from-list-of-integers-get-number-closest-to-a-given-value

- **my_list** (*list*) A list sorted in ascending order.
- my_number (Number) -
- **Returns** The element of my_list that is closest to my_number. If two numbers are equally close, return the smallest number.

Return type Number

Examples

>>> take_closest([0, 5, 10], 3)
5

CHAPTER 6

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

6.1 Types of Contributions

6.1.1 Report Bugs

Report bugs at https://github.com/francois-durand/whalrus/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

6.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with "bug" and "help wanted" is open to whoever wants to implement it.

6.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with "enhancement" and "help wanted" is open to whoever wants to implement it.

6.1.4 Write Documentation

Whalrus could always use more documentation, whether as part of the official Whalrus docs, in docstrings, or even on the web in blog posts, articles, and such.

6.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/francois-durand/whalrus/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

6.2 Get Started!

Ready to contribute? Here's how to set up whalrus for local development.

- 1. Fork the whalrus repo on GitHub.
- 2. Clone your fork locally:

\$ git clone git@github.com:your_name_here/whalrus.git

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv whalrus
$ cd whalrus/
$ python setup.py develop
```

4. Create a branch for local development:

\$ git checkout -b name-of-your-bugfix-or-feature

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 whalrus tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

6.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

- 1. The pull request should include tests.
- 2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
- 3. The pull request should work for Python 2.7, 3.4, 3.5 and 3.6, and for PyPy. Check https://travis-ci.org/ francois-durand/whalrus/pull_requests and make sure that the tests pass for all supported Python versions.

6.4 Tips

To run a subset of tests:

```
$ py.test tests.test_whalrus
```

6.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bumpversion patch # possible: major / minor / patch
$ git push
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.

6.6 Useful links

https://github.com/francois-durand/whalrus https://readthedocs.org/projects/whalrus/builds/
CHAPTER 7

Credits

7.1 Development Lead

• François Durand <fradurand@gmail.com>

7.2 Contributors

None yet. Why not be the first?

CHAPTER 8

History

8.1 0.4.6 (2020-12-01): Improve test coverage

- Reach 100% of test coverage. Cf. https://codecov.io/gh/francois-durand/whalrus.
- Convert documentation to Numpy style. The documentation is not changed much in html format, but is more readable in plain text.
- Remove hash function for BallotOneName and BallotOrder. It had a bug, and fixing it would have implied to change all sets of candidates to frozen sets. Since this function is non-essential, we decided to remove it instead.
- Fix bug in MatrixWeightedMajority when using the option ordered_vs_absent or absent_vs_ordered.
- Fix bug in Rule.trailer_ when there is only one candidate in the election.

8.2 0.4.5 (2020-11-26): Fix Missing Files in Deployment

• Files from some sub-packages, such as scale, were missing. This release fixes that bug.

8.3 0.4.4 (2020-11-26): Fix PyPI deployment

• Fix PyPI deployment.

8.4 0.4.3 (2020-11-26): GitHub Actions

• This patch concerns Whalrus' developpers only. To develop and maintain the package, it uses GitHub actions instead of additional services such as Travis-CI and ReadTheDocs.

- Use Codecov.
- Prepare support for Numpy documentation style (not used yet).
- Prepare support for notebooks in documentation (not used yet).

8.5 0.4.2 (2019-08-22): Speeding Up

• Minor patch to speed up the computation of the winner in some cases.

8.6 0.4.1 (2019-04-01): Tie-breaking

- Fix a bug related to random tie-break.
- In the arguments of class RuleRankedPairs, the tie-break can be given directly, instead of having to go through the argument matrix.

8.7 0.4.0 (2019-03-29): Schulze

• Implement Schulze rule.

8.8 0.3.0 (2019-03-29): Ranked Pairs

• Implement Ranked Pairs rule.

8.9 0.2.1 (2019-03-28): Optimize argument passing

• Optimize argument passing between child classes, their parent classes and their ______function.

8.10 0.2.0 (2019-03-21): Classic voting systems

• First "real" release, where most classic voting systems are implemented.

8.11 0.1.0 (2018-03-13): First release

• First release on PyPI.

CHAPTER 9

Indices and tables

- genindex
- modindex
- search

Python Module Index

W

whalrus.utils.utils, 132

Index

A

ABSTAIN (whalrus. Priority attribute), 50 append() (whalrus.Profile method), 59 argsort () (whalrus.Scale method), 114 argsort () (whalrus.ScaleFromList method), 116 argsort () (whalrus.ScaleFromSet method), 119 argsort () (whalrus.ScaleInterval method), 121 argsort () (whalrus.ScaleRange method), 123 as_array_ (whalrus.Matrix attribute), 43 as_array_(whalrus.MatrixMajority attribute), 44 as_array_ (whalrus.MatrixWeightedMajority attribute), 48 as_array_of_floats_ (whalrus.Matrix attribute), 43 as_array_of_floats_(whalrus.MatrixMajority attribute), 44 (whalas_array_of_floats_ rus.MatrixRankedPairs attribute), 45 as_array_of_floats_ (whalrus.MatrixSchulze attribute), 46 as_array_of_floats_ (whalrus.MatrixWeightedMajority attribute), 49 as_dict (whalrus.BallotLevels attribute), 19 as_dict_(whalrus.Matrix attribute), 43 as_strict_order (whalrus.BallotLevels attribute), 19 as_strict_order (whalrus.BallotOrder attribute), 15 as_weak_order (whalrus.BallotOrder attribute), 16 ASCENDING (whalrus. Priority attribute), 50 average_score_ (whalrus.RuleApproval attribute), 76 average_score_(whalrus.RuleBorda attribute), 81 average_score_ (whalrus.RuleBucklinByRounds attribute), 83 average_score_ (whalrus.RuleCopeland attribute), 90 average_score_(whalrus.RuleKApproval attribute), 93

average_score_ (whalrus.RuleMaximin at 98	tribute)
average_score_ (whalrus.RulePlurality at 101	tribute)
average_score_ (whalrus.RuleRangeVotin	ig at-
average_score_ (whalrus.RuleRankedPain tribute) 106	rs at-
average_score_ (whalrus.RuleScoreNum at	tribute)
average_score_(whalrus.RuleScoreNumAve tribute), 67	rage at-
average_score_ (whalrus.RuleScoreNumF attribute), 69	RowSun
average_score_ (whalrus.RuleScorePosition tribute), 71	nal at-
average_score_ (whalrus.RuleSimplifiedL attribute), 109	Oodgsor
average_score_(whalrus.RuleVeto attribute)), 113
average_score_as_float_	(whal-
rus.RuleApproval attribute), 76	
average_score_as_float_ (whalrus.Ru	leBorda
attribute), 81	
average_score_as_float_	(whal-
rus.RuleBucklinByRounds attribute), 83	
average_score_as_float_	(whal-
rus.RuleCopeland attribute), 90	
average_score_as_float_	(whal-
rus.RuleKApproval attribute), 93	
average score as float	(whal-
rus.RuleMaximin attribute), 98	
average_score_as_float_	(whal-
<pre>average_score_as_float_ rus.RulePlurality attribute), 102</pre>	(whal-
<pre>average_score_as_float_ rus.RulePlurality attribute), 102 average_score_as_float_</pre>	(whal- (whal-
<pre>average_score_as_float_ rus.RulePlurality attribute), 102 average_score_as_float_ rus.RuleRangeVoting attribute), 104</pre>	(whal- (whal-
<pre>average_score_as_float_</pre>	(whal- (whal- (whal-
<pre>average_score_as_float_ rus.RulePlurality attribute), 102 average_score_as_float_ rus.RuleRangeVoting attribute), 104 average_score_as_float_ rus.RuleRankedPairs attribute), 106</pre>	(whal- (whal- (whal-
<pre>average_score_as_float_ rus.RulePlurality attribute), 102 average_score_as_float_ rus.RuleRangeVoting attribute), 104 average_score_as_float_ rus.RuleRankedPairs attribute), 106 average_score_as_float</pre>	(whal- (whal- (whal- (whal-
<pre>average_score_as_float_ rus.RulePlurality attribute), 102 average_score_as_float_ rus.RuleRangeVoting attribute), 104 average_score_as_float_ rus.RuleRankedPairs attribute), 106 average_score_as_float_ rus.RuleScoreNum attribute), 66</pre>	(whal (whal (whal (whal
<pre>average_score_as_float_</pre>	(whal (whal (whal (whal (whal

rus.RuleScoreNumAverage attribute), (58
average_score_as_float_	(whal-
rus.RuleScoreNumRowSum attribute),	69
average_score_as_float_	(whal-
rus.RuleScorePositional attribute), 71	
average_score_as_float_	(whal-
rus.RuleSimplifiedDodgson attribute),	109
average_score_as_float_ (whalrus.Rule	eVeto at-
<i>tribute</i>), 113	

В

Ballot (class in whalrus), 13 ballot (whalrus.Scorer attribute), 125 BallotLevels (class in whalrus), 19 BallotOneName (class in whalrus), 23 BallotOrder (class in whalrus), 14 BallotPlurality (class in whalrus), 25 ballots (whalrus. Profile attribute), 59 BallotVeto (class in whalrus), 28 best_score_ (whalrus.RuleBucklinInstant attribute), 86 best_score_ (whalrus.RuleMajorityJudgment attribute), 97 best_score_(whalrus.RuleScore attribute), 65 best_score_as_float_ (whalrus.RuleApproval attribute), 76 best_score_as_float_ (whalrus.RuleBorda attribute), 81 best_score_as_float_ (whalrus.RuleBucklinByRounds attribute), 83 best_score_as_float_ (whalrus.RuleCopeland attribute), 90 best score as float (whalrus.RuleKApproval attribute), 93 best_score_as_float_ (whalrus.RuleMaximin attribute), 99 best_score_as_float_ (whalrus.RulePlurality attribute), 102 best_score_as_float_(whalrus.RuleRangeVoting) attribute), 104 best_score_as_float_ (whalrus.RuleRankedPairs attribute), 106 (whalrus.RuleScoreNum best_score_as_float_ attribute), 66 best score as float (whalrus.RuleScoreNumAverage attribute), 68 best_score_as_float_ (whalrus.RuleScoreNumRowSum attribute), 69 best_score_as_float_ (whalrus.RuleScorePositional attribute), 71 best score as float (whalrus.RuleSimplifiedDodgson attribute), 109 best_score_as_float_ (whalrus.RuleVeto attribute), 113

С

cached_property() (in module whalrus.utils.utils), 133 candidates (whalrus.Ballot attribute), 13 candidates (whalrus.BallotLevels attribute), 20 candidates (whalrus.BallotOrder attribute), 16 candidates_(whalrus.Matrix attribute), 43 candidates_(whalrus.Rule attribute), 61 candidates_(whalrus.Scorer attribute), 125 candidates_as_list_ (whalrus.Matrix attribute), 43 candidates_as_list_ (whalrus.MatrixWeightedMajority attribute), 49 (whalrus.BallotOneName candidates in b attribute), 23 candidates_in_b (whalrus.BallotOrder attribute), 16 candidates_in_b (whalrus.BallotPlurality attribute), 26 candidates_in_b (whalrus.BallotVeto attribute), 28 candidates_indexes_ (whalrus.Matrix attribute), 43 (whalcandidates_indexes_ rus.MatrixWeightedMajority attribute), 49 candidates_not_in_b (whalrus.BallotLevels attribute), 20 (whalrus.BallotOneName candidates_not_in_b attribute), 24 candidates_not_in_b (whalrus.BallotOrder attribute), 16 candidates_not_in_b (whalrus.BallotPlurality attribute), 26 candidates not in b (whalrus.BallotVeto attribute), 28 choice() (whalrus.Priority method), 50 choice() (whalrus.PriorityAbstain method), 51 choice() (whalrus.PriorityAscending method), 52 choice() (whalrus.PriorityDescending method), 54 choice() (whalrus.PriorityRandom method), 55 choice() (whalrus.PriorityUnambiguous method), 56 compare() (whalrus.Priority method), 50 compare() (whalrus.PriorityAbstain method), 52 compare() (whalrus.PriorityAscending method), 53 compare() (whalrus.PriorityDescending method), 54 compare() (whalrus.PriorityRandom method), 55 compare() (whalrus.PriorityUnambiguous method), 57 compare() (whalrus.Scale method), 115 compare() (whalrus.ScaleFromList method), 117 compare() (whalrus.ScaleFromSet method), 119 compare() (whalrus.ScaleInterval method), 121 compare() (whalrus.ScaleRange method), 123 compare_scores() (whalrus.RuleApproval method), 76

compare scores() (whalrus.RuleBorda method), 81 compare scores() (whalrus.RuleBucklinByRounds method), 83 compare_scores() (whalrus.RuleBucklinInstant method), 86 compare scores() (whalrus.RuleCopeland method), 90 compare_scores() (whalrus.RuleKApproval method), 93 compare_scores() (whalrus.RuleMajorityJudgment method), 97 compare_scores() (whalrus.RuleMaximin method), compare_scores() (whalrus.RulePlurality method), 102compare_scores() (whalrus.RuleRangeVoting method), 104 compare_scores() (whalrus.RuleRankedPairs *method*), 106 compare scores () (whalrus.RuleScore method), 65 compare_scores() (whalrus.RuleScoreNum *method*), 66compare scores() (whalrus.RuleScoreNumAverage method), 68 compare_scores() (whalrus.RuleScoreNumRowSum method), 69 (whalrus.RuleScorePositional compare_scores() *method*), 71 (whalcompare_scores() rus.RuleSimplifiedDodgson method), 109 compare_scores() (whalrus.RuleVeto method), 113 convert_number() (in module whalrus.utils.utils), 133 ConverterBallot (class in whalrus), 29 ConverterBallotGeneral (class in whalrus), 29 ConverterBallotToGrades (class in whalrus), 30 ConverterBallotToLevels (class in whalrus), 31 ConverterBallotToLevelsInterval (class in whalrus), 32 ConverterBallotToLevelsListNonNumeric (class in whalrus), 33 ConverterBallotToLevelsListNumeric (class in whalrus), 34 ConverterBallotToLevelsRange (class in whalrus), 35 ConverterBallotToOrder (class in whalrus), 36 ConverterBallotToPlurality (class in whalrus), 37 ConverterBallotToStrictOrder (class in whalrus), 38 ConverterBallotToVeto (class in whalrus), 38 cotrailers (whalrus.Rule attribute), 62 cotrailers_(whalrus.RuleApproval attribute), 77 cotrailers (whalrus.RuleBaldwin attribute), 78

cotrailers_(whalrus.RuleBlack attribute), 79 cotrailers_(whalrus.RuleBorda attribute), 81 cotrailers (whalrus.RuleBucklinByRounds attribute), 84 cotrailers_ (whalrus.RuleBucklinInstant attribute), 86 cotrailers (whalrus.RuleCondorcet attribute), 88 cotrailers_(whalrus.RuleCoombs attribute), 89 cotrailers_(whalrus.RuleCopeland attribute), 90 cotrailers_(whalrus.RuleIRV attribute), 92 cotrailers_ (whalrus.RuleIteratedElimination attribute), 64 cotrailers_(whalrus.RuleKApproval attribute), 93 cotrailers_(whalrus.RuleKimRoush attribute), 95 cotrailers_ (whalrus.RuleMajorityJudgment attribute), 97 cotrailers_(whalrus.RuleMaximin attribute), 99 cotrailers (whalrus.RuleNanson attribute), 100 cotrailers_(whalrus.RulePlurality attribute), 102 cotrailers (whalrus.RuleRangeVoting attribute), 104 cotrailers (whalrus.RuleRankedPairs attribute), 106 cotrailers (whalrus.RuleSchulze attribute), 108 cotrailers_(whalrus.RuleScore attribute), 65 cotrailers_(whalrus.RuleScoreNum attribute), 66 cotrailers_ (whalrus.RuleScoreNumAverage attribute), 68 (whalrus.RuleScoreNumRowSum cotrailers_ attribute), 70 cotrailers_(whalrus.RuleScorePositional attribute), 71 cotrailers_ (whalrus.RuleSequentialElimination attribute), 73 (whalrus.RuleSequentialTieBreak cotrailers attribute), 75 cotrailers (whalrus.RuleSimplifiedDodgson attribute), 109 cotrailers_(whalrus.RuleTwoRound attribute), 111 cotrailers_(whalrus.RuleVeto attribute), 113 cowinners (whalrus.Rule attribute), 62 cowinners (whalrus.RuleApproval attribute), 77 cowinners_(whalrus.RuleBaldwin attribute), 78 cowinners_(whalrus.RuleBlack attribute), 79 cowinners_(whalrus.RuleBorda attribute), 81 (whalrus.RuleBucklinByRounds cowinners_ attribute), 84 cowinners_ (whalrus.RuleBucklinInstant attribute), 86 cowinners_(whalrus.RuleCondorcet attribute), 88 cowinners_(whalrus.RuleCoombs attribute), 89 cowinners_(whalrus.RuleCopeland attribute), 90 cowinners (whalrus.RuleIRV attribute), 92

cowinners_ (whalrus.RuleIteratedElimination attribute), 64 cowinners_ (whalrus.RuleKApproval attribute), 94 cowinners_ (whalrus.RuleKimRoush attribute), 95

cowinners_ (whalrus.RuleMajorityJudgment attribute), 97

cowinners_(whalrus.RuleMaximin attribute),99

cowinners_(whalrus.RuleNanson attribute), 100 cowinners_(whalrus.RulePlurality attribute), 102

cowinners_(whalrus.RuleRangeVoting attribute), 102

cowinners_(whalrus.RuleRankedPairs attribute), 106

cowinners_(whalrus.RuleSchulze attribute), 108

cowinners_(whalrus.RuleScore attribute), 65

cowinners_(whalrus.RuleScoreNum attribute), 66

cowinners_ (whalrus.RuleScoreNumAverage attribute), 68

cowinners_ (whalrus.RuleScoreNumRowSum attribute), 70

- cowinners_ (whalrus.RuleScorePositional attribute),
 71
- cowinners_ (whalrus.RuleSequentialElimination attribute), 74
- cowinners_ (whalrus.RuleSequentialTieBreak attribute), 75
- cowinners_ (whalrus.RuleSimplifiedDodgson attribute), 109
- cowinners_(whalrus.RuleTwoRound attribute), 111
 cowinners_(whalrus.RuleVeto attribute), 113

D

Ε

edges_order_ (whalrus.MatrixRankedPairs attribute), 45 eliminated_(whalrus.Elimination attribute), 39 eliminated_ (whalrus.EliminationBelowAverage attribute), 40 eliminated_(whalrus.EliminationLast attribute), 42 eliminated_order_ (whalrus.Elimination attribute), 40 Elimination (class in whalrus), 39 elimination_rounds_ (whalrus.RuleSequentialElimination attribute), 74

- elimination_rounds_ (whalrus.RuleTwoRound attribute), 111 EliminationBelowAverage (class in whalrus), 40 EliminationLast (class in whalrus), 41 eliminations_ (whalrus.RuleBaldwin attribute), 78 eliminations_ (whalrus.RuleCoombs attribute), 89 eliminations (whalrus.RuleIRV attribute), 92
 - eliminations_(whalrus.RuleIteratedElimination attribute), 64
- eliminations_ (*whalrus.RuleKimRoush attribute*), 95
- eliminations_(whalrus.RuleNanson attribute), 100
- eq() (whalrus.Scale method), 115
- eq() (whalrus.ScaleFromList method), 117
- eq() (whalrus.ScaleFromSet method), 119
- eq() (whalrus.ScaleInterval method), 121
- eq() (whalrus.ScaleRange method), 123

F

- first() (whalrus.Ballot method), 13
- first() (whalrus.BallotLevels method), 20
- first() (whalrus.BallotOneName method), 24
- first() (whalrus.BallotOrder method), 16
- first() (whalrus.BallotPlurality method), 26
- first() (whalrus.BallotVeto method), 28

G

- ge() (whalrus.Scale method), 115
- ge() (whalrus.ScaleFromList method), 117
- ge() (whalrus.ScaleFromSet method), 119
- ge() (whalrus.ScaleInterval method), 121
- ge() (whalrus.ScaleRange method), 123
- gross_(whalrus.MatrixWeightedMajority attribute), 49
- gross_scores_(whalrus.RuleApproval attribute), 77
- gross_scores_(*whalrus.RuleBorda attribute*), 81
- gross_scores_ (whalrus.RuleKApproval attribute), 94
- gross_scores_(*whalrus.RuleRangeVoting attribute*), 104
- gross_scores_ (whalrus.RuleScoreNumAverage attribute), 68
- gross_scores_ (whalrus.RuleScorePositional attribute), 71
- gross_scores_as_floats_ (whalrus.RuleApproval attribute),77

gross_scores_as_floats_	(whal
rus.RuleKApproval attribute), 94	
gross_scores_as_floats_	(whal
rus.RulePlurality attribute), 102	
gross_scores_as_floats_	(whal
rus.RuleRangeVoting attribute), 104	
gross_scores_as_floats_	(whal
rus.RuleScoreNumAverage attribute), 6	8
gross_scores_as_floats_	(whal
rus.RuleScorePositional attribute), 72	
gross_scores_as_floats_ (whalrus.Rule	Veto at
tribute), 113	
gt () (whalrus.Scale method), 115	
gt () (whalrus.ScaleFromList method), 117	
gt () (whalrus.ScaleFromSet method), 119	
gt () (whalrus.ScaleInterval method), 121	
gt () (whalrus.ScaleRange method), 123	
Н	

has_voters (whalrus.Profile attribute), 59 has_weights (whalrus.Profile attribute), 59 high (whalrus.Scale attribute), 115 high (whalrus.ScaleFromList attribute), 117 high (whalrus.ScaleFromSet attribute), 119 high (whalrus.ScaleInterval attribute), 121 high (whalrus.ScaleRange attribute), 123

I

is_strict (whalrus.BallotLevels attribute), 21
is_strict (whalrus.BallotOrder attribute), 17
items () (whalrus.BallotLevels method), 21
items () (whalrus.Profile method), 60

K

keys() (whalrus.BallotLevels method), 21

L

last() (whalrus.Ballot method), 14 last() (whalrus.BallotLevels method), 22 last() (whalrus.BallotOneName method), 24 last() (whalrus.BallotOrder method), 17 last () (whalrus.BallotPlurality method), 27 last() (whalrus.BallotVeto method), 28 le() (whalrus.Scale method), 115 le() (whalrus.ScaleFromList method), 117 le() (whalrus.ScaleFromSet method), 119 le() (whalrus.ScaleInterval method), 121 le() (whalrus.ScaleRange method), 124 low (whalrus.Scale attribute), 115 low (whalrus.ScaleFromList attribute), 117 low (whalrus.ScaleFromSet attribute), 119 low (whalrus.ScaleInterval attribute), 121 low (whalrus.ScaleRange attribute), 124

- lt() (whalrus.Scale method), 115
 lt() (whalrus.ScaleFromList method), 117
 lt() (whalrus.ScaleFromSet method), 120
 lt() (whalrus.ScaleInterval method), 122
 - lt() (whalrus.ScaleRange method), 124

М

- Matrix (*class in whalrus*), 42
- matrix_(whalrus.RuleCopeland attribute), 91
- matrix_(whalrus.RuleRankedPairs attribute), 106
- matrix_ (whalrus.RuleScoreNumRowSum attribute),
 70
- matrix_majority_ (whalrus.RuleCondorcet attribute), 88
- matrix_majority_ (whalrus.RuleCopeland attribute), 91

- matrix_weighted_majority_ (whalrus.MatrixMajority attribute), 44 matrix_weighted_majority_ (whalrus.MatrixRankedPairs attribute), 45 matrix_weighted_majority_ (whalrus.MatrixSchulze attribute), 46
- matrix_weighted_majority_ (whalrus.RuleMaximin attribute), 99
- matrix_weighted_majority_ (whalrus.RuleSimplifiedDodgson attribute), 110
- MatrixMajority (*class in whalrus*), 43
- MatrixRankedPairs (class in whalrus), 44
- MatrixSchulze (class in whalrus), 45
- MatrixWeightedMajority (class in whalrus), 46
- max() (whalrus.Scale method), 116
- max() (whalrus.ScaleFromList method), 117
- max() (whalrus.ScaleFromSet method), 120
- max() (whalrus.ScaleInterval method), 122
- max() (whalrus.ScaleRange method), 124
- min() (whalrus.Scale method), 116
- min() (whalrus.ScaleFromList method), 118
- min() (whalrus.ScaleFromSet method), 120
- min() (whalrus.ScaleInterval method), 122
- min() (whalrus.ScaleRange method), 124
- my_division() (in module whalrus.utils.utils), 134

Ν

n_candidates_ (whalrus.Rule attribute), 62
n_candidates_ (whalrus.RuleApproval attribute), 77
n_candidates_ (whalrus.RuleBaldwin attribute), 78
n_candidates_ (whalrus.RuleBlack attribute), 80
n_candidates_ (whalrus.RuleBorda attribute), 82
n_candidates_ (whalrus.RuleBucklinByRounds attribute), 84

(whalrus.RuleBucklinInstant n_candidates_ tribute), 86 n candidates (whalrus.RuleCondorcet attribute), 88 n_candidates_(whalrus.RuleCoombs attribute), 89 n_candidates_(whalrus.RuleCopeland attribute), 91 n candidates (whalrus.RuleIRV attribute), 92 n_candidates_(whalrus.RuleIteratedElimination attribute), 64 n_candidates_ (whalrus.RuleKApproval attribute), 94 n_candidates_ (whalrus.RuleKimRoush attribute), 95 n_candidates_ (whalrus.RuleMajorityJudgment attribute), 97 n_candidates_(whalrus.RuleMaximin attribute), 99 n_candidates_(whalrus.RuleNanson attribute), 100 n_candidates_ (whalrus.RulePlurality attribute), 102 n candidates (whalrus.RuleRangeVoting attribute), 105 n_candidates_(whalrus.RuleRankedPairs attribute), 107 n_candidates_(whalrus.RuleSchulze attribute), 108 n_candidates_(whalrus.RuleScore attribute), 65 n_candidates_ (whalrus.RuleScoreNum attribute), 66 n_candidates_ (whalrus.RuleScoreNumAverage at*tribute*), 68 n_candidates_ (whalrus.RuleScoreNumRowSum attribute), 70 n_candidates_ (whalrus.RuleScorePositional attribute), 72 n_candidates_ (whalrus.RuleSequentialElimination attribute), 74 n_candidates_ (whalrus.RuleSequentialTieBreak attribute), 75 n_candidates_ (whalrus.RuleSimplifiedDodgson attribute), 110 n_candidates_ (whalrus.RuleTwoRound attribute), 111 n_candidates_(whalrus.RuleVeto attribute), 113 n_rounds_ (whalrus.RuleBucklinByRounds attribute), 84 ne() (whalrus.Scale method), 116 ne() (whalrus.ScaleFromList method), 118 ne() (whalrus.ScaleFromSet method), 120 ne() (whalrus.ScaleInterval method), 122 ne() (whalrus.ScaleRange method), 124 NiceDict (class in whalrus.utils.utils), 132 NiceSet (class in whalrus.utils.utils), 133 Ο

order_(whalrus.Rule attribute), 62

at- order_(whalrus.RuleBucklinInstant attribute), 86
 order_(whalrus.RuleMajorityJudgment attribute), 97
 te), order (whalrus.RuleScore attribute), 65

Ρ

parse_weak_order() (in module whalrus.utils.utils), 134 Priority (class in whalrus), 50 PriorityAbstain (class in whalrus), 51 PriorityAscending (class in whalrus), 52 PriorityDescending (class in whalrus), 54 PriorityRandom (class in whalrus), 55 PriorityUnambiguous (class in whalrus), 56 Profile (class in whalrus), 57 profile_converted_(whalrus.Matrix attribute), 42 profile_converted_(whalrus.Rule attribute), 61 profile original (whalrus.Matrix attribute), 42 profile_original_ (whalrus.Rule attribute), 61

Q

qualified_(whalrus.Elimination attribute), 40
qualified_ (whalrus.EliminationBelowAverage at tribute), 40
qualified_(whalrus.EliminationLast attribute), 42

R

RANDOM (whalrus. Priority attribute), 50 remove() (whalrus.Profile method), 60 restrict() (whalrus.Ballot method), 14 restrict () (whalrus.BallotLevels method), 22 restrict() (whalrus.BallotOneName method), 25 restrict() (whalrus.BallotOrder method), 18 restrict() (whalrus.BallotPlurality method), 27 restrict() (whalrus.BallotVeto method), 29 (whalrus.RuleSequentialElimination rounds_ attribute), 74 rounds (whalrus.RuleTwoRound attribute), 112 Rule (class in whalrus), 61 rule_(whalrus.Elimination attribute), 39 rule_borda_(whalrus.RuleBlack attribute), 80 rule_condorcet_(whalrus.RuleBlack attribute), 80 RuleApproval (class in whalrus), 76 RuleBaldwin (class in whalrus), 78 RuleBlack (class in whalrus), 79 RuleBorda (class in whalrus), 81 RuleBucklinByRounds (class in whalrus), 83 RuleBucklinInstant (class in whalrus), 85 RuleCondorcet (class in whalrus), 87 RuleCoombs (class in whalrus), 88 RuleCopeland (class in whalrus), 90 RuleIRV (class in whalrus), 91 RuleIteratedElimination (class in whalrus), 62 RuleKApproval (class in whalrus), 93 RuleKimRoush (class in whalrus), 95

RuleMajorityJudgment (class in whalrus), 96 RuleMaximin (class in whalrus), 98 RuleNanson (class in whalrus), 100 RulePlurality (class in whalrus), 101 RuleRangeVoting (class in whalrus), 103 RuleRankedPairs (class in whalrus), 105 rules (whalrus.RuleBlack attribute), 80 rules (whalrus.RuleSequentialTieBreak attribute), 75 RuleSchulze (class in whalrus), 107 RuleScore (class in whalrus), 65 RuleScoreNum (class in whalrus), 66 RuleScoreNumAverage (class in whalrus), 67 RuleScoreNumRowSum (class in whalrus), 69 RuleScorePositional (class in whalrus), 70 RuleSequentialElimination (class in whalrus), 72 RuleSequentialTieBreak (class in whalrus), 75

RuleSimplifiedDodgson (*class in whalrus*), 108 RuleTwoRound (*class in whalrus*), 110 RuleVeto (*class in whalrus*), 112

S

Scale (class in whalrus), 114 ScaleFromList (class in whalrus), 116 ScaleFromSet (class in whalrus), 118 ScaleInterval (class in whalrus), 120 ScaleRange (class in whalrus), 123 Scorer (class in whalrus), 125 ScorerBorda (class in whalrus), 126 ScorerBucklin (class in whalrus), 127 ScorerLevels (class in whalrus), 128 ScorerPlurality (class in whalrus), 129 ScorerPositional (class in whalrus), 130 ScorerVeto (class in whalrus), 131 scores_(whalrus.RuleBucklinByRounds attribute), 84 scores_(whalrus.RuleMajorityJudgment attribute), 97 scores_(whalrus.RuleScore attribute), 65 scores_(whalrus.RuleScoreNum attribute), 67 scores (whalrus.Scorer attribute), 125 atscores_as_floats_ (whalrus.RuleApproval tribute), 77 scores_as_floats_ (whalrus.RuleBorda attribute), 82 scores_as_floats_ (whalrus.RuleBucklinByRounds attribute), 84 (whalrus.RuleBucklinInstant scores_as_floats_ attribute), 86 scores_as_floats_ (whalrus.RuleCopeland attribute), 91 scores_as_floats_ (whalrus.RuleKApproval attribute), 94 scores_as_floats_ (whalrus.RuleMajorityJudgment attribute), 97

(whalrus.RuleMaximin scores_as_floats_ attribute), 99 (whalrus.RulePlurality scores as floats at*tribute*), 102 scores_as_floats_ (whalrus.RuleRangeVoting attribute), 105 scores as floats (whalrus.RuleRankedPairs at*tribute*), 107 scores_as_floats_ (whalrus.RuleScoreNum attribute), 67 scores_as_floats_ (whalrus.RuleScoreNumAverage attribute), 68 (whalscores_as_floats_ rus.RuleScoreNumRowSum attribute), 70 scores_as_floats_ (whalrus.RuleScorePositional attribute), 72 scores_as_floats_ (whalrus.RuleSimplifiedDodgson attribute), 110 scores_as_floats_ (whalrus.RuleVeto attribute), 113 scores_as_floats_(whalrus.Scorer attribute), 125 (whalrus.ScorerBorda scores_as_floats_ attribute), 127 scores_as_floats_ (whalrus.ScorerBucklin attribute), 128 scores_as_floats_ (whalrus.ScorerLevels at*tribute*), 129 scores_as_floats_ (whalrus.ScorerPlurality attribute), 130 scores_as_floats_ (whalrus.ScorerPositional attribute), 131 scores_as_floats_ (whalrus.ScorerVeto attribute), 132 second_round_ (whalrus.RuleTwoRound attribute), 112 set to list() (in module whalrus.utils.utils), 135 set to str() (in module whalrus.utils.utils), 135 sort () (whalrus. Priority method), 51 sort () (whalrus.PriorityAbstain method), 52 sort () (whalrus.PriorityAscending method), 53 sort () (whalrus.PriorityDescending method), 54 sort () (whalrus.PriorityRandom method), 55 sort () (whalrus.PriorityUnambiguous method), 57 sort () (whalrus.Scale method), 116 sort () (whalrus.ScaleFromList method), 118 sort () (whalrus.ScaleFromSet method), 120 sort () (whalrus.ScaleInterval method), 122 sort () (whalrus.ScaleRange method), 124 sort_pairs_rp() (whalrus.Priority method), 51 sort_pairs_rp() (whalrus.PriorityAbstain method), 52 sort_pairs_rp() (whalrus.PriorityAscending

method), 54 (whalrus.PriorityRandom sort_pairs_rp() method), 56 sort_pairs_rp() (whalrus.PriorityUnambiguous method), 57 strict_order_(whalrus.Rule attribute), 62 strict_order_(whalrus.RuleApproval attribute), 77 strict_order_ (whalrus.RuleBaldwin attribute), 78 strict_order_(whalrus.RuleBlack attribute), 80 strict_order_(whalrus.RuleBorda attribute), 82 strict_order_ (whalrus.RuleBucklinByRounds attribute), 84 (whalrus.RuleBucklinInstant strict_order_ attribute), 87 strict_order_ (whalrus.RuleCondorcet attribute), 88 strict_order_(whalrus.RuleCoombs attribute), 89 strict order (whalrus.RuleCopeland attribute), 91 strict_order_(whalrus.RuleIRV attribute), 92 strict_order_ (whalrus.RuleIteratedElimination attribute), 64 strict_order_ (whalrus.RuleKApproval attribute), 94 strict order (whalrus.RuleKimRoush attribute), 95 strict_order_ (whalrus.RuleMajorityJudgment attribute), 97 strict_order_(whalrus.RuleMaximin attribute), 99 strict_order_(whalrus.RuleNanson attribute), 100 strict_order_ (whalrus.RulePlurality attribute), 102 strict_order_(whalrus.RuleRangeVoting attribute), 105 strict_order_(whalrus.RuleRankedPairs attribute), 107 strict_order_(whalrus.RuleSchulze attribute), 108 strict order (whalrus.RuleScore attribute), 65 strict_order_ (whalrus.RuleScoreNum attribute), 67 strict_order_ (whalrus.RuleScoreNumAverage attribute), 68 strict_order_ (whalrus.RuleScoreNumRowSum attribute), 70 strict_order_ (whalrus.RuleScorePositional attribute), 72 strict_order_ (whalrus.RuleSequentialElimination attribute), 74 strict_order_ (whalrus.RuleSequentialTieBreak attribute), 75 strict_order_ (whalrus.RuleSimplifiedDodgson attribute), 110 strict order (whalrus.RuleTwoRound attribute), 112

strict order (whalrus.RuleVeto attribute), 113

Т

```
take_closest() (in module whalrus.utils.utils), 135
trailer_(whalrus.Rule attribute), 62
trailer_(whalrus.RuleApproval attribute), 77
trailer (whalrus.RuleBaldwin attribute), 79
trailer_(whalrus.RuleBlack attribute), 80
trailer_(whalrus.RuleBorda attribute), 82
trailer_ (whalrus.RuleBucklinByRounds attribute),
         84
trailer (whalrus.RuleBucklinInstant attribute), 87
trailer_(whalrus.RuleCondorcet attribute), 88
trailer (whalrus.RuleCoombs attribute), 89
trailer_(whalrus.RuleCopeland attribute), 91
trailer_(whalrus.RuleIRV attribute), 93
trailer_(whalrus.RuleIteratedElimination attribute),
         64
trailer_(whalrus.RuleKApproval attribute), 94
trailer_(whalrus.RuleKimRoush attribute), 95
trailer_ (whalrus.RuleMajorityJudgment attribute),
         98
trailer_(whalrus.RuleMaximin attribute), 99
trailer_(whalrus.RuleNanson attribute), 101
trailer_(whalrus.RulePlurality attribute), 102
trailer_(whalrus.RuleRangeVoting attribute), 105
trailer_(whalrus.RuleRankedPairs attribute), 107
trailer (whalrus.RuleSchulze attribute), 108
trailer (whalrus.RuleScore attribute), 65
trailer_(whalrus.RuleScoreNum attribute), 67
trailer_ (whalrus.RuleScoreNumAverage attribute),
         68
trailer_ (whalrus.RuleScoreNumRowSum attribute),
         70
trailer_(whalrus.RuleScorePositional attribute), 72
trailer_ (whalrus.RuleSequentialElimination at-
         tribute), 74
trailer_ (whalrus.RuleSequentialTieBreak attribute),
         75
trailer (whalrus.RuleSimplifiedDodgson attribute),
         110
trailer_(whalrus.RuleTwoRound attribute), 112
trailer_(whalrus.RuleVeto attribute), 113
U
UNAMBIGUOUS (whalrus. Priority attribute), 50
```

V

values() (whalrus.BallotLevels method), 23
voter_ (whalrus.Scorer attribute), 125
voters (whalrus.Profile attribute), 60

W

weights (whalrus.RuleApproval attribute), 77 weights_(whalrus.RuleBorda attribute), 82 weights (whalrus.RuleKApproval attribute), 94 weights_(whalrus.RuleRangeVoting attribute), 105 weights_ (whalrus.RuleScoreNumAverage attribute), 69 weights (whalrus.RuleScorePositional attribute), 72 weights_as_floats_ (whalrus.RuleApproval attribute), 77 weights_as_floats_ (whalrus.RuleBorda attribute), 82 weights_as_floats_ (whalrus.RuleKApproval attribute), 94 (whalrus.RulePlurality weights_as_floats_ attribute), 102 weights_as_floats_ (whalrus.RuleRangeVoting attribute), 105 weights_as_floats (whalrus.RuleScoreNumAverage attribute), 69 weights as floats (whalrus.RuleScorePositional attribute), 72 weights_as_floats_ (whalrus.RuleVeto attribute), 114 whalrus.utils.utils(module), 132 winner_(whalrus.Rule attribute), 62 winner (whalrus.RuleApproval attribute), 77 winner_(whalrus.RuleBaldwin attribute), 79 winner_(whalrus.RuleBlack attribute), 80 winner_(whalrus.RuleBorda attribute), 82 winner_(whalrus.RuleBucklinByRounds attribute), 85 winner_(whalrus.RuleBucklinInstant attribute), 87 winner_(whalrus.RuleCondorcet attribute), 88 winner_(whalrus.RuleCoombs attribute), 89 winner_(whalrus.RuleCopeland attribute), 91 winner (whalrus.RuleIRV attribute), 93 winner_ (whalrus.RuleIteratedElimination attribute), 64 winner_(whalrus.RuleKApproval attribute), 94 winner (whalrus.RuleKimRoush attribute), 96 winner_(whalrus.RuleMajorityJudgment attribute), 98 winner (whalrus.RuleMaximin attribute), 99 winner (whalrus.RuleNanson attribute), 101 winner (whalrus.RulePlurality attribute), 103 winner_(whalrus.RuleRangeVoting attribute), 105 winner_(whalrus.RuleRankedPairs attribute), 107 winner_ (whalrus.RuleSchulze attribute), 108 winner_(whalrus.RuleScore attribute), 66 winner_(whalrus.RuleScoreNum attribute), 67 winner_(whalrus.RuleScoreNumAverage attribute), 69 winner_ (whalrus.RuleScoreNumRowSum attribute), 70 winner_(whalrus.RuleScorePositional attribute), 72 winner (whalrus.RuleSequentialElimination attribute), 74

- winner_ (whalrus.RuleSequentialTieBreak attribute),
 76
- winner_(whalrus.RuleTwoRound attribute), 112
- winner_(whalrus.RuleVeto attribute), 114
- worst_score_ (whalrus.RuleBucklinInstant attribute), 87
- worst_score_ (whalrus.RuleMajorityJudgment attribute), 98
- worst_score_(whalrus.RuleScore attribute), 66
- worst_score_as_float_ (whalrus.RuleBorda attribute), 82
- worst_score_as_float_ (whalrus.RuleBucklinByRounds attribute), 85

- worst_score_as_float_ (whalrus.RuleRangeVoting attribute), 105
- worst_score_as_float_ (whalrus.RuleRankedPairs attribute), 107
- worst_score_as_float_ (whalrus.RuleScoreNumAverage attribute), 69
- worst_score_as_float_ (whalrus.RuleScoreNumRowSum attribute), 70
- worst_score_as_float_ (whalrus.RuleScorePositional attribute), 72
- worst_score_as_float_ (whalrus.RuleSimplifiedDodgson attribute), 110